HITACHI

FLORA 220W NS3

(Microsoft® Windows® 98 Operating System)

4

[illegible]

- [illegible]
- [illegible]
- [illegible]
- [illegible]
- [illegible] Q&A

[illegible]
[illegible]
[illegible]

[illegible]

[illegible]

1[illegible]

[illegible]

2[illegible]

[illegible]

3[illegible]

[illegible]

4[illegible]

[illegible]

5[illegible] Q&A[illegible]

[illegible]

[illegible]

重要	[illegible]
ヒント	[illegible]
参照	[illegible]

[illegible]

□□□

□□□□□□□□□□□
□□□□□□□□□□□□

1□ □□□□□□□□□ 5
□□□□□□□□□□□□□□□ 6
[□□□□□□□□□]□□□ 6
□□□□□□□□□□□□□□ 7
□□□□□□□□□□□□□□□□□ 8
□□□□□□□□ 9
□□□□□□□□□□□□□□ 9
□□□□□□□□□□□□□□□□□ 11
□□□□□□□□□□□□□ 12
□□□□□□□□□□□□□□ 12
□□□□□□□□□□□□□ 12
□□□□□□□□□□□□ 14
□□□□□□□ 15
□□□□□□□□□□□□□□□□□□ 15
[□□]□□□□□□□□□ 16
[Volume Control]□□□□□ 16
□□□□□□[□□]□□□□□□□□□□□□□□□□ 17
□□□□□□□□□□□ 17
CD/DVD□□□□□□□□□ 18
CD/DVD□□□□□□□□□□□□□□□□ 18
DVD-Video□□□□□ 20
□□□□□□□□□□□□ 22
Windows□□□□□□□□□□□□□□□□□ 22
□□□□□□(IRQ)□I/O□□□□□□□□□□□□ 23
□□□□□□□□□□ 24
□□□□□□□□□□ 26
□□□□□□□□□□□□□□ 27
□□□□□□□□□□ 28
□□□□□□□□□□□□ 28
Wake on LAN□□□□□ 31
Wake on LAN□□□□□ 31
Wake on LAN□□□ 31
□□□□□□□□□□□□□ 33

2□ □□□□□□□□□ 35
□□□□□□ 36
□□□□□□□ 36

□□□□ 37
□□□□□□□ 37
□□□□□ 38
CPU□□□□□ 41
□□□□□□□□□□ 42
□□□□□□□□□□□□□□ 43
□□□□□□□□□□□□□□□□ 43
□□□□□□□□□□□□□□□□ 43

3□ □□□□□□□□□□□□ 45
□□□□□□□□□□□□ 46
LAN□□□□□ 46
□□ LAN□□□□□ 46
□□□□□□□□ 46
USB FD□□□□□ 46
□□□□□□□□□ 46
□□□□□□□ 46
□□□□□□□□□□□□ 47
□□□□□□□□□□□ 49
□□□□□ LAN□□□□□□□□□ 49
Easy CD Creator 51
VirusScan 51
Intel SpeedStepTM Technology
Applet 52
BEAMSTAR□□□□□□ 52
□□□□□□□□□□ 52
Norton Ghost 2002 52
Office XP 53
□□□ 53
ATOK. 53
Acrobat Reader 53
CyberSupport for HITACHI 53
□□□□□□□□□□□ 54
□□□□□□□□□□□□ 54

4□ □□□□□□□□ 55
□□□□□□□□□□□□□□□□□□□□□ 56
□□□□□□□□□□□□□□□□ 57
□□□□□□□ 57
□□□□□□□□□ 59
LAN□□□□□ 60
□□□□□□□□ 61
□□□□□□□□□□□ 61
□□ LAN□□□□□ 62
USB FD □□□□□ 63
□□□□□□□□□□□□□□□□□□□ 65

□□□□□ LAN□□□□□□□□□ 65
VirusScan. 66
Intel SpeedStepTM Technology
Applet. 67
CyberSupport for HITACHI 67
□□□□□□□□□□ 68
Norton Ghost 2002. 68
Acrobat Reader 69
Windows□□□□□□□□□□□□□□□ 70

5□ □□□□Q&A. 71
□□□□□□□□□□□□□□ 72
□□□□□□□□□□□ 76
□□□□□□□□□□□□□□ 78
□□□□□□□□□□□□ 79
CD-ROM□□□□□ CD-R/RW□□□□□ DVD-ROM&CD-R/RW□□□□□□□80
□□□□□□□□□□□□ 81
□□□□□□□□□□ 82
□□□□□□□□□□□□ 82
□□□□□□□□□□□□□ 84
□□□□□□□□□□□□□□ 85
□□□□□□□□□□□□□□□ 86
□□□□□□□□□□□□□□□□□ 90
□□□□□□□□□□□□□□□ 94
□□□□□□□□□□□□□□□ 96

□□ 97
□□□□□□□□□□□□□□□□ 98

1[illegible]

[illegible]

[illegible]

[illegible]

[illegible] [[illegible]] [illegible]

[[illegible]] [illegible]

1 [[illegible]] [illegible]


Windows Update
プログラム(P)
お気に入り(A)
最近使ったファイル(D)
設定(S)
検索(C)
ヘルプ(H)
ファイル名を指定して実行(R)...
既定 のログオフ(L)...
Windows の終了(U)...
スタート
Windows98
コントロール パネル(C)
プリンタ(P)
タスク バーと [スタート] メニュー(T)...
フォルダ オプション(F)...
アクティブ デスクトップ(A)
Windows Update...

2 [[illegible]] [illegible] [[illegible]] [illegible]

[illegible] [[illegible]] [illegible]

3 [[illegible]] [illegible]


コントロール パネル
ファイル(F) 編集(E) 表示(V) 移動(G) お気に入り(A) ヘルプ(H)
戻る
進む
上へ
切り取り
コピー
貼り付け
元に戻す
削除
プロパティ
表示
アドレス(D) コントロール パネル
コントロール パネル
ODBC データ ソース (32ビ...
アプリケーションの追加と削除
インターネット オプション
キーボード
ゲーム コントローラ
サウンド
システム
テレフォニー
ネットワーク
ハードウェアの追加
パスワード
フォント
プリンタ
マウス
マルチメディア
モデム
ユーザー
ユーザー補助
画面
赤外線モニタ
地域
電源の管理
日付と時刻
Microsoft ホーム ページ
テクニカル サポート
ネットワークのハードウェアと
マイ コンピュータ
マウス

ネットワーク
ネットワークのハードウェアとソフトウェアを設定します。

[illegible] [[illegible]] [illegible]

ヒント

★ [illegible]

[[illegible]] [illegible]

[illegible] ([[illegible]] [illegible])
[illegible] ([[illegible]] [illegible])
[illegible] ([[illegible]] [illegible])
[illegible] ([[illegible]] [illegible])

[illegible]

1 [[illegible]] [illegible] [[illegible]] [illegible]

2 [illegible] [[illegible]] [illegible] [[illegible]] [illegible]

3 [illegible]

[illegible]


マウスのプロパティ
? ×
スクロール
タップゾーン
その他の機能
ボタンの動作
ボタン
ポインタ
動作
タッチ
エッジモーション
ボタンの選択(B)
左ボタン：
- 通常の選択
- 通常のドラッグ
右ボタン：
- 状況に応じたメニュー
- 補助ドラッグ
ダブルクリックの速度(D)
遅く
速く
テスト
OK
キャンセル
適用
ヘルプ

[illegible]

4 [OK] [illegible]

[illegible]

[illegible]

1 [[illegible]] [illegible] [[illegible]] [illegible]

2 [[illegible]] [illegible] [[illegible]] [illegible] [[illegible]] [illegible]

[illegible]


マウスのプロパティ
?
×
スクロール
タップゾーン
その他の機能
ボタンの動作
ボタン
ポインタ
動作
タッチ
エッジモーション
ポインタの速度(S)
遅く
速く
ポインタの軌跡(T)
表示する(O)
OK
キャンセル

3 [OK] [illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

1 [[illegible]] [illegible]


Windows Update
プログラム(P)
お気に入り(A)
最近使ったファイル(D)
設定(S)
検索(F)
ヘルプ(H)
ファイル名を指定して実行(R)...
ログオフ(L)...
Windows の終了(U)...
Windows98
スタート
コントロール パネル(C)
プリンタ(P)
タスク バーと [スタート] メニュー(T)...
フォルダ オプション(F)...
アクティブ デスクトップ(A)
Windows Update...

2 [[illegible]] [illegible]

3 [[illegible]] [illegible]

[illegible] [[illegible]] [illegible]

参照

[illegible] → [illegible] 2 [illegible]

4 ［[illegible]］[illegible]

［[illegible]］[illegible]


コントロール パネル
ファイル(F)
編集(E)
表示(V)
移動(G)
お気に入り(A)
ヘルプ(H)
戻る
進む
上へ
切り取り
コピー
貼り付け
元に戻す
削除
プロパティ
表示
アドレス(D)
コントロール パネル
ODBC データソース (32ビ…
アプリケーションの追加と削除
インターネットオプション
キーボード
ゲーム コントローラ
サウンド
システム
テレフォニー
ネットワーク
ハードウェアの追加
パスワード
フォント
プリンタ
マウス
マルチメディア
モデム
ユーザー
ユーザー補助
画面
赤外線モニタ
地域
電源の管理
日付と時刻
Microsoft ホーム ページ
テクニカル サポート
マイ コンピュータ
マウス

コントロール パネル

ネットワーク
ネットワークのハードウェアとソフトウェアを設定します。

ネットワークのハードウェアと…

5 ［[illegible]］[illegible]［[illegible]］[illegible]

［[illegible]］[illegible]


マウスのプロパティ
クイック セットアップ
ポインタ
ボタン
動作
方向設定
デバイス
Scroller
オプション(P)...
OK
キャンセル
適用(A)
ヘルプ
1
2
3

ボタンの割り当て
1. [クリック/セレクト]
2 自動スクロール
3 [コンテキスト メニュー/補助ドラッグ]

スクロール サイズ(S): 3行

☐ MS Office互換のスクロール機能のみ使用(U)

6 ［[illegible]］[illegible]［[illegible]］[illegible]［[illegible]］[illegible]


ボタンの機能割り当てのオプション
[クリック/セレクト]
自動スクロール
ダブルクリックの速度(D)
遅く
速く
ダブルクリックのテスト
OK
キャンセル

7 ［[illegible]］[illegible]

[illegible]

8 [OK] [illegible]

[illegible]

[illegible]

[illegible]

1 [[illegible]] [illegible]

2 [[illegible]] [illegible]

3 [[illegible]] [illegible] [[illegible]] [illegible] [[illegible]] [illegible]

[illegible]


マウスのプロパティ
? ×
クイック セットアップ
ポインタ
ボタン
動作
方向設定
デバイス
ポインタの速度と加速
速度(S)
遅く
速く
ポインタの加速
○ いいえ(N)
● 普通(M)
○ 低(L)
○ 高(I)
スマート ムーブ
☐ 有効(B)
カーソルの軌跡
☐ 有効(E)
OK
キャンセル
ヘルプ

スマート ムーブは、新しく開いたダイアログボックスのデフォルトのボタンに、ポインタを自動的に合わせる機能です。

4 [OK] [illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

■ [Fn]+[F6] (☼ − [illegible]

[Fn] [illegible] [F6] [illegible]

[illegible]

■ [Fn]+[F7] (☼ [illegible]

[Fn] [illegible] [F7] [illegible]

ヒント

★ [illegible]

[illegible]

[illegible] [[illegible]] [illegible]

[[illegible]] [illegible]

1 [illegible]] [illegible] − [[illegible]] − [[illegible]] [illegible]

[illegible] [[illegible]] [illegible]

2 [[illegible]] [illegible]

[illegible] [[illegible]] [illegible]

[illegible]

1 [[illegible]] [illegible] [[illegible]] [illegible] [[illegible]] [illegible] [[illegible]] [illegible] OK [illegible]


画面のプロパティ

背景
スクリーン セーバー
デザイン
効果
Web
設定
1
2

ディスプレイ: 1. Super VGA 1024x768 - Intel(R) 82830M Graphics Controller - 0

色: High Color (16 ビット)

画面の領域: 1024 x 768 ピクセル

小
大
詳細(D)...
OK
キャンセル

[illegible]	[illegible] *1	[illegible]
640 × 480	256[illegible] High Color (16[illegible]) True Color (32[illegible])	[illegible]
800 × 600 1024 × 768 1280 × 1024 *2	256[illegible] High Color (16[illegible]) True Color (32[illegible])	[illegible] [illegible] [illegible]

[illegible] 1: [illegible] (16[illegible]) [illegible] 65536 [illegible] (32[illegible]) [illegible] 1677 [illegible] (32[illegible]) [illegible] 1677 [illegible]

[illegible] 2: [illegible]

2 [illegible]

[illegible]

[illegible] DirectX [illegible] Windows [illegible]

[illegible]

[illegible]

[illegible] (1024 × 768) [illegible]

重要

◎ [illegible]

ヒント

★ [[illegible]] [illegible]

[illegible]3D[illegible] High Color(16[illegible])[illegible]

[illegible]

[illegible] 1 [illegible]

1 [[illegible]] [illegible] [[illegible]] [illegible] [[illegible]] [illegible]

2 [[illegible]] [illegible] [[illegible]] [illegible] [[illegible]] [illegible]

[illegible]

重要

◎ [illegible] Dual Display Clone) [illegible] (Extend Desktop) [illegible] [[illegible]] [illegible]

◎ [illegible] [60Hz] [illegible]

[illegible]

[illegible]

[illegible]

[illegible]



ヒント

★ [illegible]

[[illegible]][illegible]

1 [illegible][[illegible]][illegible]

[illegible][[illegible]][illegible]

2 [illegible]



ヒント

★ [[illegible]][illegible](✓)[illegible]

[Volume Control][illegible]

Windows[illegible][Volume Control][illegible]CD[illegible]

1 [illegible][[illegible]][illegible]

[illegible][Volume Control][illegible]

2 [illegible]


Volume Control
オプション(P)
ヘルプ(H)
Volume Control
Wave
SW Synth
CD Player
Microphone
バランス
音量
☐ 全ミュート(M)
☐ ミュート(M)
☑ ミュート(M)
トーン(A)
Avance AC97 Audio

ヒント

★ [[illegible]][illegible]－[[illegible]]－[[illegible]]－[illegible]]－[[illegible]][illegible][Volume Control[illegible]

★ [[illegible]][illegible](✓)[illegible]

[illegible] [[illegible]] [illegible]

1 [[illegible]] [illegible] – [[illegible]] – [[illegible]] [illegible]

[illegible] [[illegible]] [illegible]

2 [[illegible]] [illegible]

[illegible] [[illegible]] [illegible]

3 [[illegible]] [illegible] [[illegible]] [illegible] [[illegible]] [illegible]



マルチメディアのプロパティ

オーディオ | ビデオ | MIDI | 音楽 CD | デバイス

再生

優先するデバイス(D):
Avance AC'97 Audio

詳細オプションを設定するには、このボタンをクリックしてください：
詳細プロパティ(P)

録音

優先するデバイス(E):
Avance AC'97 Audio

詳細オプションを設定するには、このボタンをクリックしてください：
詳細プロパティ(R)

☐ 優先するデバイスのみ使う(U)
☑ 音量の調節をタスク バーに表示する(S)

OK　キャンセル

4 [OK] [illegible]

[illegible]

1 [Volume Control] [illegible] [[illegible]] – [[illegible]] [illegible]

2 [illegible] [[illegible]] [illegible]

[illegible] [[illegible]] [illegible]

3 [illegible] [1 MIC Boost(1)] [illegible]

ヒント

★ [illegible]

CD/DVD[illegible]

CD/DVD[illegible]

CD/DVD[illegible]

1 [[illegible]] [illegible]

2 [[illegible]] [illegible]

[illegible] [[illegible]] [illegible]


コントロール パネル
ファイル(F)
編集(E)
表示(V)
移動(G)
お気に入り(A)
ヘルプ(H)
上へ
切り取り
コピー
貼り付け
元に戻す
削除
プロパティ
表示
アドレス(D)
コントロール パネル
コントロール パネル
ODBC データソース (32ビ...
アプリケーションの追加と削除
インターネット オプション
キーボード
ゲーム コントローラ
サウンド
システム
テレフォニー
ネットワーク
ハードウェアの追加
パスワード
フォント
プリンタ
マウス
マルチメディア
モデム
ユーザー
ユーザー補助
画面
赤外線モニタ
地域
電源の管理
日付と時刻
Microsoft ホーム ページ
テクニカル サポート
ネットワークのハードウェアと
マイ コンピュータ
システム

ネットワーク
ネットワークのハードウェアとソフトウェアを設定します。

3 [[illegible]] [illegible]


システムのプロパティ
全般
デバイス マネージャ
ハードウェア プロファイル
パフォーマンス
種類別に表示(T)
接続別に表示(C)
コンピュータ
1394 バス コントローラ
CD-ROM
XXXXXXX DVD-ROM XX-XXX
HCFMODEMWDM
PCMCIA ソケット
キーボード
サウンド、ビデオ、およびゲームのコントローラ
システム デバイス
その他のデバイス
ディスク ドライブ
ディスプレイ アダプタ
ネットワーク アダプタ
ハード ディスク コントローラ
フロッピー ディスク コントローラ
プロパティ(R)
更新(F)
削除(E)
印刷(N)...
OK
キャンセル

4 [CD-ROM]□□□□□□□□□□□

5 CD-ROM□□□□□□□□□□□□□

6 [□□□□□]□□□□□□□□□□□

□ CD-ROM□□□□□□□□□□□□□□□□□□□□

7 [□□]□□□□□□□□□□

8 [□□□□□□□]□□□□□□□☐□☑□□□□


XXXXXX DVD-ROM XXXXXXのプロパティ

XXXXX DVD-ROM XXXX

ターゲット ID: 0

ファームウェア リビジョン C314

論理ユニット数 0

オプション

☑ 切断(D)

☐ リムーバブル(R)

☐ 同期データ転送(Y)

☐ Int 13 ユニット(I)

☑ 挿入の自動通知(U)

☑ DMA(M)

現在のドライブ文字割り当て: D:

予約ドライブ文字

開始ドライブ文字(S):

終了ドライブ文字(E):

9 [OK]□□□□□□□□□□□

ヒント

★ ☑□□□□□□□□□□□
□□

DVD-Video[illegible]

(DVD-ROM&CD-R/RW[illegible])

[illegible] DVD-Video [illegible] DVD [illegible]

DMA[illegible]

DVD-ROM[illegible] DMA [illegible] DVD-Video [illegible] DVD-Video [illegible] DMA [illegible]

1 [illegible] [[illegible]] [illegible]

[illegible] [[illegible]] [illegible]

2 [[illegible]] [illegible] [CD-ROM] [illegible]

3 [illegible] DVD-ROM [illegible] [[illegible]] [illegible]

[illegible]

4 [[illegible]] [illegible] [DMA] [illegible]

[illegible] [[illegible]] [illegible]

5 [OK] [illegible]

6 [OK] [illegible] [[illegible]] [illegible]

[illegible] [[illegible]] [illegible]

7 [[illegible]] [illegible]

[illegible] Windows [illegible]

ヒント

★ DVD[illegible]

重要

◎ DVD-Video [illegible]

ヒント

★ [illegible] 2 [illegible] 2 [illegible] DVD-Video [illegible]

★ DVD-ROM&CD-R/RW [illegible] DVD-Video [illegible] DVD [illegible]

重要

◎ [illegible] 4 [illegible] 4 [illegible] DVD-Video [illegible]

[illegible]

DVD-Video [illegible] DVD-ROM&CD-R/RW [illegible] (Region Code) [illegible] DVD-ROM&CD-R/RW [illegible] DVD-Video [illegible] DVD-Video [illegible]

[illegible]

[illegible] CPU [illegible]

Windows [illegible]

1 [[illegible]] [illegible]

2 [[illegible]] [illegible]

[illegible] [[illegible]] [illegible]


コントロール パネル
ファイル(F)
編集(E)
表示(V)
移動(G)
お気に入り(A)
ヘルプ(H)
戻る
進む
上へ
切り取り
コピー
貼り付け
元に戻す
削除
プロパティ
表示
アドレス(D)
コントロール パネル
コントロール パネル
ネットワーク
ネットワークのハードウェアとソフトウェアを設定します。
Microsoft ホーム ページ
テクニカル サポート
ODBC データソース (32ビ…
アプリケーションの追加と削除
インターネット オプション
キーボード
ゲーム コントローラ
サウンド
システム
テレフォニー
ネットワーク
ハードウェアの追加
パスワード
フォント
プリンタ
マウス
マルチメディア
モデム
ユーザー
ユーザー補助
画面
赤外線モニタ
地域
電源の管理
日付と時刻
ネットワークのハードウェアと
マイ コンピュータ
システム

3 [illegible]


システムのプロパティ
?
全般
デバイス マネージャ
ハードウェア プロファイル
パフォーマンス
HITACHI
サポート情報(S)
OK
キャンセル

システム：
Microsoft Windows 98
Second Edition
4.10.2222 A

使用者：
[redacted]

製造およびサポート元：
HITACHI
FLORAシリーズ
GenuineIntel
Pentium(r) III processor
128.0MB の RAM

4 [OK] [illegible]

ヒント

★ [illegible]

□□□□□□(IRQ)□I/O□□□□□ □□□□□□□

1 [□□□□□□□□□□]□□□□□□

2 [□□□□□□□□□□]□□□□□□□□□□

□ □□□□□□□□□



システムのプロパティ

全般 | デバイス マネージャ | ハードウェア プロファイル | パフォーマンス

● 種類別に表示(T)　○ 接続別に表示(C)

コンピュータ
CD-ROM
キーボード
サウンド、ビデオ、およびゲームのコントローラ
システム デバイス
ディスク ドライブ
ディスプレイ アダプタ
ネットワーク アダプタ
ハード ディスク コントローラ
フロッピー ディスク コントローラ
ポート (COM と LPT)
マウス
モニタ
ユニバーサル シリアル バス コントローラ
赤外線デバイス

3 [□□□□□□]□□□□□□□□□□□

□ [□□□□□□□□□□□□]□□□□□□□□□

4 [□□□□□□(IRQ)]□□□[I/O□□□□□□□]□□□□□□□□

□ □□□□□□□□□□□□□□□□□□



コンピュータのプロパティ

リソースの表示 | リソースの予約

● 割り込み要求 (IRQ)(R)　○ ダイレクト メモリ アクセス (DMA)(D)
○ I/O ポート アドレス(O)　○ メモリ(M)

設定	現在のハードウェア
00	システム タイマ
01	106 日本語 (A01) キーボード (Ctrl + 英数)
02	プログラミング可能な割り込みコントローラ
03	赤外線シリアル ポート
04	通信ポート (COM1)
05	SiS 7018 Audio Driver
05	PCI IRQ ステアリング用 ACPI IRQ ホルダ
06	Hitachi 3-mode Floppy (FLORA series TYPE2)



コンピュータのプロパティ

リソースの表示 | リソースの予約

○ 割り込み要求 (IRQ)(R)　○ ダイレクト メモリ アクセス (DMA)(D)
● I/O ポート アドレス(O)　○ メモリ(M)

設定	現在のハードウェア
0000 - 000F	DMA コントローラ
0010 - 001F	不明なデバイスに使用されています。
0020 - 0021	プログラミング可能な割り込みコントローラ
0022 - 003F	不明なデバイスに使用されています。
0040 - 0043	システム タイマ
0044 - 005F	不明なデバイスに使用されています。
0060 - 0060	106 日本語 (A01) キーボード (Ctrl + 英数)
0061 - 0061	システム スピーカー

ヒント

★ IRQ□ □□□ BIOS□□□□□ □□□□ BIOS Setup□ Security□ Device Configuration□□□ □□ Enabled□□□□BIOS Setup□ Advanced□ PCI Configration□ □□□□□□□

[illegible]

[illegible] BIOS [illegible] BIOS [illegible]

■[illegible]

[illegible] Supervisor Password

[illegible] BIOS [illegible] BIOS [illegible]

[illegible] User Password

[illegible] BIOS [illegible] Supervisor Passsword [illegible]
BIOS [illegible]

[Main] [illegible]	[System Time] [illegible] [System Date] [illegible]
[Advanced] [illegible]	[Video Configuration] [illegible] [Display] [illegible] [Panel Setting] [illegible]
[Security] [illegible]	[Set User Password] [illegible] [Set Hard Disk password]*1 [illegible] *1[Change Hard Disk Password] [illegible] [Enabled] [illegible]
[Boot] [illegible]	[illegible]
[Exit] [illegible]	[Save Values & Exit] [illegible] [Discard Values & Exit] [illegible]

[illegible] Hard Disk Password

Supervisor Password [illegible]

[illegible]

[illegible]

[illegible]

[illegible] BIOS [illegible]

1 [illegible]

重要

◎ [illegible]

参照

[illegible]→[illegible]

重要

◎ Hard Disk Password [illegible]

重要

◎ [illegible] 3 [illegible]

重要

◎ BIOS [illegible]

2 □□□□□□□□□□□□□□□□□Press <F12> to enter Boot Menu□ □□□□□□□□[F2]□□□□□□

□ BIOS Setup Utility□□□□□□□□□



```
                    PhoenixBIOS Setup Utility
  Main   Advanced   Security   Boot   Exit

                                              Item Specific Help
 System Memory:               640 KB
 Extended Memory:             xxx MB
 CPU Information:             xxx     xxx GHz
 System BIOS Version:         x.xxH
 Keyboard Controller Version: x.xx
 System Time:                 [xx:xx:xx]
 System Date:                 [xx/xx/xxxx]

 □ Primary Master             [xxx MB]
 □ Secondary Master           [CD-ROM]

F1  Help  ↑↓  Select Item  -/Space  Change Values     F9  Setup Defaults
Esc Exit  ←→  Select Menu  Enter    Select ▶ Sub-menu F10 Save and Exit
```

3 [→] □□□□[Security]□□□□

□ [Security]□□□□□□□□□



```
                    PhoenixBIOS Setup Utility
  Main   Advanced   Security   Boot   Exit

                                              Item Specific Help
 Set Supervisor Password:     [Enter]
 Set User Password:           [Enter]
 Password on boot:            [Disabled]

 Change Hard Disk Password:   [Disabled]
   Hard Disk Password:        Disabled
   Set Hard Disk Password:    [Enter]

 Device Configuration
   USB0:                      [Enabled]
   USB1:                      [Enabled]
   Audio:                     [Enabled]
   LAN:                       [Enabled]
   CardBus:                   [Enabled]
   IEEE1394:                  [Enabled]

F1  Help  ↑↓  Select Item  -/Space  Change Values     F9  Setup Defaults
Esc Exit  ←→  Select Menu  Enter    Select ▶ Sub-menu F10 Save and Exit
```

[illegible]

1 [↑] [illegible] [↓] [illegible] [Set Supervisor Password] [illegible] [Enter] [illegible]

[illegible]



```
Set Supervisor Password:

  Enter New Password        [          ]
  Confirm New Password      [          ]
```

2 [illegible] 8 [illegible] [Enter] [illegible]

[illegible] [Confirm New Password] [illegible]

3 [illegible] [Enter] [illegible]

[illegible]



```
Setup Notice

Changes have been saved.
[ Continue ]
```

4 [Enter] [illegible]

[illegible] [Security] [illegible]
[illegible]



```
Setup Warning

Passwords do not match.
Re-enter password.

[ Continue ]
```

[illegible]

5 [Enter] [illegible] 2 [illegible]

[illegible] [Esc] [illegible]

ヒント

★ [illegible] [Esc] [illegible]

ヒント

★ [illegible] 0 [illegible] 9 [illegible] a [illegible]

重要

◎ [illegible]

参照

[illegible] → [illegible]

6 [illegible][Set User Password][illegible][Password on boot][illegible][Set Hard Disk Password][illegible]

[illegible]

[illegible]BIOS[illegible]

1 [Esc][illegible]

[illegible] [Exit][illegible]

2 [Save Values & Exit][illegible][Enter][illegible]

[illegible]



Setup Confirmation

Save configuration changes and exit now?

[Yes]　　[No]

3 [←][illegible][→][illegible][[illegible]][illegible][Enter][illegible]

[illegible]

ヒント

★ [illegible] [No][illegible][Enter][illegible]

[illegible]

1 BIOS[illegible][Security][illegible]

2 [Set Supervisor Password][illegible][Set User Password][illegible][Enter][illegible]

3 [Enter Current Password][illegible][Enter][illegible]

[illegible][Enter New Password][illegible]

4 [illegible] 8 [illegible][Enter][illegible]

5 □□□□□□□□□BIOS□□□□□□□□□□

□□□□□□□□□□

1 BIOS□□□□□□□[Security]□□□□□□□□

2 [Set Supervisor Password]□□□[Set User Password]□□□□[Enter]□□□□□□

3 [Enter Current Password]□□□□□□□□□□□□□□□□□□□□[Enter]□□□□□□

□ □□□□□[Enter New Password]□□□□□□

4 □□□□□□□□□□□□□□□□[Enter]□□□□□□

□ □□□□□□□□□□□□

5 □□□□□□□□□BIOS□□□□□□□□□□

□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□

□ Change Hard Disk Password
Set Hard Disk Password□□□□□□□□□□□□□□□□□□
□ Set Hard Disk Password
□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
□□□□□□□□□□□□□□□□□□□□

●□□□□□□□□

1 [Change Hard Disk Password]□□□□[Enabled]□□□□

2 [Set Hard Disk Password]□□□□[Enter]□□□□□□

□ □□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□[Esc]□□□□□□□□

重要

◎ Hard Disk Password□□□□
□□□□□□□□□□□□□
□□□

3 [illegible] 8 [illegible] [Enter] [illegible]

[illegible] [Confirm New Password] [illegible]

4 [illegible] [Enter] [illegible]

[illegible]



Setup Notice

Changes have been saved.

[Continue]

5 [Enter] [illegible]

[illegible] [Security] [illegible]

[illegible]



Setup Warning

Passwords do not match.

Re-enter password.

[Continue]

[illegible]

6 [Enter] [illegible] 3 [illegible]

[illegible] [Esc] [illegible]

7 [illegible] [Change Hard Disk Password] [illegible] [Disabled] [illegible]

[Change Hard Disk Password] [illegible] [Disabled] [illegible] User Password [illegible] BIOS [illegible] Hard Disk Password [illegible] Hard Disk Password [illegible] Supervisor Password [illegible] [Change Hard Disk Password] [illegible] [Disabled] [illegible]

● [illegible]

1 [Set Hard Disk Password] [illegible] [Enter] [illegible]

[Change Hard Disk Password] [illegible] [Enabled] [illegible] [Set Hard Disk Password] [illegible]

2 [Enter Current Password]□□□□□□□□□□□□□□□□□□□□
[Enter]□□□□□□

□□□□□□[Enter New Password]□□□□□□

3 □□□□□□□□□□□□□□□8□□□□□□□□□□□□□□□
□□□□□□□□□□[Enter]□□□□□□

4 □□□□□□□□□BIOS□□□□□□□□□□

●□□□□□□□□

1 [Set Hard Disk Password]□□□□[Enter]□□□□□□

[Change Hard Disk Password]□[Enabled]□□□□□□[Set Hard Disk Password]
□□□□□□□

2 [Enter Current Password]□□□□□□□□□□□□□□□□□□□□
[Enter]□□□□□□

□□□□□□[Enter New Password]□□□□□□

3 □□□□□□□□□□□□□□□□[Enter]□□□□□□

□□□□□□□□□□□□□

4 □□□□□□□□□BIOS□□□□□□□□□□

Wake on LAN□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
□□□□□□□□□□□□□□□□□□□ Wake on LAN□□□□□□

Wake on LAN□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□
□□□□□□□□
□□□□□□□([Windows□□□]□ Windows□□□□□□□□□)

Wake on LAN□□□

Windows□□□

□□□□□□□□ Wake on LAN□□□□□□□□□□□□□□□□

1 [□□□□□□□□□□]□□□□[□□□□□□□□□□]□ [Realtek RTL8139/810x Family Fast Ethernet NIC]□□□□□□□□□□□

□ [Realtek RTL8139/810x Family Fast Ethernet NIC□□□□□□]□□□□□□□

2 [□□□□□□]□□□[□□□□□□□□□□□□□□□□□□□□□□□]□□□[□□□□□□□□□□□□□□□□□□□□□□□□□□□□□]□□□□□□□□□□

BIOS□□□□□□□

□□□□□□□□ Wake on LAN□□□□□□□□□□□□□□□□

1 □□□□□□□□□□□□

2 □□□□□□□□□□□□□□□□□□Press <F12> to enter Boot Menu□□□□□□□□□[F2]□□□□□□

重要

◎ Windows□□□□□□□□□□□□□□□ LAN□□□□□□□□□□□□□□□□□□□□□

◎ □□□□□□□□□□□□□□Wake On LAN□□□□□□□□□AC□□□□□□□□□□□□□□□□□□□□□□□□□□□□

◎ □□□□□□□ 4 □□□□□□□ Windows□□□□□□□□□□□□□□□□□□□□□□□□□

◎ □□□□□□□□□□□□□□□□□□□□□□ BIOS□□□□□□□□□□ Wake on LAN□□□

□ BIOS Setup Utility□□□□□□□□□

3 [→]□□□□[Advanced]□□□□

□ [Advanced]□□□□□□□□□

4 [↓]□□□[Wake On LAN]□□□□□□□□□□□□□□□□□□□□Enabled□□□□

5 [Esc]□□□□□□

□ [Exit]□□□□□□□□□

6 [F10]□□□□□□

□ □□□□□□□□□□□□□□□□□□□□□□□□

7 [←]□□□[→]□□□[Yes]□□□□[Enter]□□□□□□

□ □□□□□□□□□□□□□□□□□□□□□□□□□□

ヒント

★ [Wake On LAN]□□□□□□□□[Security]□[Device Configration]□[LAN]□[Enabled]□□□□□□□□□□□□□□□

[illegible]

[illegible]

1 [illegible]

2 [illegible]Press <F12> to enter Boot Menu[illegible][F2][illegible]

[illegible] BIOS[illegible]

3 [→][illegible][Boot][illegible]

[illegible] [Boot][illegible]

4 [↓][illegible][Boot Sequence][illegible][Enter][illegible]

[illegible] [Boot Sequence][illegible]



```
                    PhoenixBIOS Setup Utility
                                  Boot

   Floppy Disk Drive                          Item Specific Help
  +Hard Disk Drive
   CD-ROM Drive                               Keys used to view or
   Network Boot                               configure devices:
                                              <SPACE> and <> moves
                                              the device up or
                                              down.

F1  Help  ↑↓  Select Item  -/Space  Change Values      F9  Setup Defaults
Esc Exit  ←→  Select Menu  Enter    Select ▶ Sub-Menu  F10 Save and Exit
```

5 [illegible] [↑][↓][illegible][SPACE][illegible]

[illegible] 1[illegible]

6 [illegible] 5[illegible]

2[illegible]

[illegible]

[illegible]

[illegible]

CPU[illegible] HDD[illegible]

[illegible]

[illegible]	[illegible]	[illegible]
[illegible]	[illegible] CPU [illegible] [illegible] [illegible] [illegible]	[illegible]
[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	

重要

◎ [illegible]

◎ [illegible] Windows [illegible]

◎ SCSI [illegible]

[illegible]

[illegible]

[illegible]

[illegible]

●[illegible]（AC[illegible]）

[illegible]15[illegible]

[illegible]20[illegible]（[illegible]）[illegible]

[illegible]

1 [[illegible]] [illegible] − [[illegible]] − [[illegible]] [illegible] [[illegible]] [illegible] [[illegible]] [illegible]

[illegible] [[illegible]] [illegible]

2 [[illegible]] [illegible]

[illegible]

[illegible]

[illegible]


電源の管理のプロパティ
電源設定
アラーム
電源メーター
詳細設定
Intel(R) SpeedStep(TM) technology
名前を付けて保存(S)...
削除(D)
OK
キャンセル
適用(A)

コンピュータの使い方に最も適した電源設定を選択してください。下の設定を変更すると、選択された電源設定も変更されます。

電源設定(O)：ポータブル/ラップトップ

ポータブル/ラップトップの電源の設定

コンピュータ	電源に接続	バッテリ使用
モニタの電源を切る(M)	なし	なし
ハード ディスクの電源を切る(I)	なし	3 分後
システム スタンバイ(T)	なし	なし

重要

◎ [illegible]

◎ [illegible]

◎ AC[illegible]

◎ [[illegible]] − [[illegible]] [illegible] [[illegible]] [illegible] AC [illegible]

3 [[illegible]] [illegible]

4 [[illegible]] [illegible] [[illegible]] [illegible]

[illegible] [[illegible]] [illegible]

5 [[illegible]] [illegible]

[illegible] [Intel(R) 82830M Graphics Controller-0 [illegible]] [illegible]

6 [[illegible]] [illegible] [[illegible]] [illegible]

[illegible]

[illegible]

[Windows [illegible]] [illegible]

[illegible]

1 [[illegible]] [illegible] [Windows [illegible]] [illegible]

2 [[illegible]] [illegible] [OK] [illegible]


Windowsの終了

次の方法で終了しますか?

● スタンバイ(T)
○ 電源を切れる状態にする(S)
○ 再起動する(R)
○ MS-DOS モードで再起動する(M)

OK
キャンセル
ヘルプ(H)

[illegible]

重要

◎ [illegible]

重要

◎ [illegible]

[illegible]

[Fn][illegible][F12][illegible]

[illegible][[illegible]][illegible][[illegible]][illegible][[illegible]][illegible]

■[illegible]

[illegible]

[illegible]

[illegible][Fn]+[F12][illegible]:[illegible]

■[illegible]

1 [[illegible]][illegible]－[[illegible]]－[[illegible]][illegible][[illegible]][illegible][[illegible]][illegible]

[illegible][[illegible]][illegible]

ヒント

★ [illegible][Fn][illegible][F12][illegible]

★ [illegible][[illegible]]-[Windows[illegible]][illegible][Fn][illegible][F12][illegible]

2 [[illegible]] [illegible]

[illegible]


電源の管理のプロパティ
?
×
電源設定
アラーム
電源メーター
詳細設定
Intel(R) SpeedStep(TM) technology
OK
キャンセル
適用(A)

動作を選択してください。

オプション

☑ アイコンをタスク バーに常に表示する(I)

☐ スタンバイおよび休止状態からの回復時にパスワードを入力する(P)

電源ボタン

ポータブル コンピュータを閉じたとき(W): なし

コンピュータの電源ボタンを押したとき(E): 電源オフ

3 [[illegible]] [illegible]

ヒント

★ [[illegible]] [illegible]

CPU□□□□□

CPU□□□□□□□□□□□□□

PentiumIII□□□□□□□□□□Intel® SpeedStep^{TM} Applet□□□□□□□□□□Windows□□□□□□□□□□□□□(AC□□□□□□)□□□□□CPU□□□CPU□□□□□□□□□□□□□□

参照

Intel® SpeedStep^{TM} Applet□□□□□□□□→4□□□Intel SpeedStepTM Technology Applet□(P.67)

□□□□

1 [□□□□□]□□□−[□□]−[□□□□□□□□□□]□□□□□□□□[□□□□□□□□□□]□□□□[□□□□□□]□□□□□□□□□□□□□□□□

□[□□□□□□□□□□□□]□□□□□□□□□

2 [Intel(R)SpeedStep(TM)□□□□□]□□□□□□□□□□□□□□□□□□□□□□□[AC□□□□□□]□□□□□□□□□□□□□□□


電源の管理のプロパティ
?
×
電源設定
アラーム
電源メーター
詳細設定
Intel(R) SpeedStep(TM) technology
intel
詳細
OK
キャンセル
適用(A)

Intel SpeedStep technology オプション

各電源に最適なプロセッサのパフォーマンス レベルを選択してください。

コンピュータの電源状態

バッテリで実行している場合: 自動 - (推奨)

AC 電源の場合: 最大パフォーマンス - (推奨)

現在のプロセッサの設定　最大パフォーマンス

[illegible]

[illegible]

[illegible]

[illegible][Shift][illegible]
[illegible]

[illegible]

[illegible]HDD[illegible]

[illegible]

[illegible]
[illegible]

重要

◎ [illegible]20[illegible]20[illegible]

◎ [illegible]

◎ MS-DOS [illegible] Windows [illegible]

重要

◎ [illegible]4[illegible]

◎ [illegible]

□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ □□□□□□

□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□

□□□□□(HDD□FD□CD-ROM□□)□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□

□□□□□□□

□IEEE1394□□□□□□□

□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□

1 [□□□□□]□□□−[□□]−[□□□□□□□□□]□□□□□ □□□[□□□□□□□□□]□□□□[□□□□□]□□□□□□□ □□□□□□□□

□ [□□□□□□□□□□□]□□□□□□□□□

2 [□□□□□]□□□□□□□□□□□□□□□□

□[□□□□□□□□□□]
□[□□□□□□□□□□□□□□]
□[□□□□□□□□□□]

3 [□□□□□]□□□□□□□□□□□□□□□□□□□□□□□□

□[□□□□□□□□□□□□□□□□□□]
□[□□□□□□□□□□□□□□□□□□□]

3[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

LAN[illegible]

LAN[illegible]

[illegible] LAN[illegible]

[illegible] LAN[illegible]

[illegible]

[illegible]

USB FD[illegible]

[illegible] USB FDD[illegible]

[illegible]

[illegible]

[illegible]

[illegible][Intel(R) 82830M Graphics Controller [illegible]][illegible][Intel(R) 82830M Graphics Controller [illegible]] [illegible][[illegible]] [illegible] [Intel(R) Graphics Technology] [illegible]

[Intel(R) 82830M Graphics Controller [illegible]]

■[illegible]

[illegible]

重要

◎ [illegible]

ヒント

★ [illegible] LAN[illegible] 1[illegible] 14[illegible]

■ [illegible]

[illegible]

■ [illegible]

[illegible]

■ [illegible]

[illegible]

■ [illegible]

[illegible] BIOS [illegible]

[illegible]

[illegible] [[illegible]] [illegible]

[illegible]

[illegible]

[illegible]

1 [illegible]

2 Windows [illegible] [[illegible]] – [[illegible]] [illegible]

[illegible] [[illegible]] [illegible]

3 CD-ROM [illegible] CD [illegible]
d:¥programs¥win98¥mouse¥setup [illegible] [OK] [illegible]

[illegible] [[illegible]] [illegible]

4 [illegible] [OK] [illegible]

[illegible] [[illegible]] [illegible]

5 [[illegible]] [illegible]

[illegible] [[illegible]] [illegible]

重 要

◎ [illegible]

◎ [illegible]

◎ [illegible]

◎ [[illegible]] [[illegible]] [illegible] [MS Office [illegible]] [illegible] MS Office [illegible]

ヒント

★ d [illegible] CD-ROM [illegible]

6 [[illegible]][illegible]

[illegible][InstallShield[illegible]][illegible]

7 CD[illegible][illegible][[illegible]][illegible]

[illegible]Windows[illegible]

[illegible]

1 [[illegible]][illegible][[illegible]][illegible]

2 [illegible]MouseWare X.XX[illegible][[illegible]][illegible]

[illegible][[illegible]][illegible]

3 [OK][illegible]

[illegible][[illegible]][illegible]

4 [OK][illegible]

[illegible]Windows[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

1 [[illegible]][illegible][[illegible]][illegible]

[[illegible]][illegible]

2 [illegible]Synaptics TouchPad[illegible][[illegible]][illegible]

3 [[illegible]][illegible][[illegible]][illegible][OK][illegible]

[illegible]
[OK][illegible]

4 [illegible][OK][illegible][×][illegible]

5 Windows[illegible]

[illegible]LAN[illegible]

[illegible]LAN[illegible]LAN[illegible]

重要

◎ [illegible]

ヒント

★ [illegible]Office[illegible] Windows[illegible]([illegible])[illegible]

□□□□□□□□□□□□

□□□□□PC-CNB300□□□□□□□□□□□□□□□□□□□□□□□□

1 □□□□□□□□□□□□LAN□□□□□□□□□□□□□□□□□□□ □□□□□[□□□□]-[□□□□□]□□[H TACH□□□□□LAN□ □□□□□□□□□□□]□□□□□□□□□

□□□□□□□LAN□□□□□□□□□□□□□□□□□□□

2 [□□]□□□□□□[□□□□□LAN□□□]□□□□□□□□□□□□□

3 [□□□□]□□□□□□□□□□□□

4 [□□□□□□(ESSID)]□□□□□□□□□□□ESSID□□ □□□□□[□□□□]□□□□□□□□□□□□□□□□□ □□□□□□[□□]□□□□□□□□□□

5 [□□□□□]□[□□]□□□□□□□□□□□□□

6 [□□□□LAN□□□□]□[□□□□□□□]□□□□□□ □□□□□□□□□□□

7 □□□□□□□□□□□□□□□WEP□□□□□□□□□□ □□□[□□□□WEP□□□]□□□□□□□□WEP□□□□ □□□□□□□□□□8.□□□□□

□□□

- ● □□□□□□□WEP40□□□□□□□□□

(1) [WEP□□]□[40bit / 64bit]□□□□□□

(2) [□□□□□]□□□□□□□□□□□□□□□□PC-CNB300□□□□ □□□ASCII□□□□□□□

(3) [□□□□□□□]□□□□□□PC-CNB300□□□□□□ 0□ □□□□□□

(4) (3)□□□□□□□□□□□□□□□□□□□□□□□ □□

- ● □□□□□□□WEP128□□□□□□□□□□

(1) [WEP□□]□[128bit]□□□□□□

(2) [□□□□□]□□□□□□□□□□□□□□□□PC-CNB300□□□□ □□□ASCII□□□□□□□

ヒント

★ TCP/IP□□□□□□□□□□ □□□□□□□□□□□□□ □□□□□□□□□□□□□ □□□□□□□□□□□□□ □□□□□□□

★ □□□□□□□□□□□□□ □□4.□□□□□□□□□ □□□□ID□□□□□□□□ □□□□□6.□[□□□□ □]□□□□□□□□□□ □□□□□□□

★ □□□□□□□□ □□ □0-9, a-z□5□□□□□13 □□□□□□□□□□□□

重要

◎ □□□□□□□□LAN□□□ □□□□□□□□□□□□□ □□□□□□□□□□□□□ □□□□□□□□□□□□□ □□□

(3) [[illegible]] [illegible] PC-CNB300 [illegible] 0[illegible]
[illegible]

(4) (3) [illegible]

8 [illegible]

Easy CD Creator

CD-R/RW [illegible] CD-R [illegible] CD-RW [illegible] CD-R/RW [illegible]

VirusScan

Windows [illegible]

[illegible]

- VirusScan : [illegible]
- VShield : [illegible]
- VirusScan [illegible] : VirusScan [illegible]

VirusScan [illegible]

- VirusScan [illegible] VirusScan [illegible] MC [illegible] VirusScan [illegible]
  [illegible]
  http://www.hitachi.co.jp/Prod/comp/OSD/vakzin/mc/vakzin_mc.htm
- VirusScan [illegible] [McAfee VirusScan [illegible]] [illegible]
- VirusScan [illegible] [McAfee VirusScan [illegible]] [illegible]
- VShield [illegible] [[illegible]] [illegible] [[illegible]] [illegible] [[illegible]] [illegible]

ヒント

★ [illegible] VirusScan [illegible] Readme.txt [illegible]

Intel® SpeedStep™ Technology Applet

[illegible] (AC [illegible]) [illegible] CPU [illegible]

参照

[illegible] → 2 [illegible] CPU [illegible] (P.41)

BEAMSTAR [illegible]

[illegible] BEAMSTAR [illegible]
[illegible] CD [illegible] ¥programs¥beamstar [illegible] pdf [illegible] txt [illegible]

[illegible]

[illegible] Web [illegible]

Norton Ghost 2002

[illegible]
[illegible]

参照

[illegible] → [illegible] CD [illegible]
¥programs¥ghost¥readme.txt [illegible]
¥programs¥ghost¥Documents¥Ghost_guide.pdf

Office XP

[illegible] Microsoft Office XP [illegible] (Word [illegible] Excel [illegible] Outlook [illegible]) [illegible] Microsoft Office XP [illegible] Office XP [illegible] Microsoft Office XP [illegible] CD-ROM [illegible] CD-ROM [illegible]

[illegible]

[illegible]

ATOK

[illegible]

Acrobat Reader

[illegible] PDF [illegible]

CyberSupport for HITACHI

[illegible]

重要

◎ [illegible] Microsoft Office XP ([illegible] Office [illegible] CD [illegible] Office [illegible] Office [illegible] Office [illegible]

ヒント

★ Bookshelf Basic, Step by Step Interactive [illegible] Microsoft/Shogakukan Bookshelf Basic CD-ROM [illegible] Step by Step Interactive CD-ROM [illegible]

参照

[illegible] → [illegible] Windows [illegible] 2 [illegible]

参照

[illegible] → [illegible] Windows [illegible] 2 [illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]
[illegible]MS-DOS[illegible]
[illegible]MS-DOS[illegible]Windows[illegible]

Windows[illegible]

Windows [illegible]

4 [illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]'Windows 98' CD-ROM[illegible][OK][illegible]

[illegible]

1 [OK][illegible]

- [[illegible]][illegible]

2 [[illegible]][illegible]c:¥windows¥options¥cabs[illegible]

3 [OK][illegible]

- [illegible]Windows[illegible]

重要

◎ [illegible][[illegible]][illegible]

ヒント

★ [illegible]CD-ROM[illegible]CD-ROM[illegible]HDD[illegible]CD-ROM[illegible]CD-ROM[illegible]

★ [illegible][[illegible]][illegible]

[illegible]

[illegible]

[illegible]	[illegible] ○[illegible] ×[illegible]	[illegible] ○[illegible] ×[illegible]
[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]
LAN[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]
[illegible] LAN[illegible]	[illegible]	[illegible]
DMA[illegible]	[illegible]	[illegible]
USB FD[illegible]	[illegible]	[illegible]

[illegible]

1 [[illegible]][illegible]－[[illegible]][illegible]

[illegible][[illegible]][illegible]

2 CD-ROM[illegible]CD[illegible]
d:¥programs¥win98¥svga¥setup[illegible][OK][illegible]

[illegible][Intel(R) 830M chipset Graphics Driver Software[illegible]][illegible]

3 [[illegible]][illegible]

4 [[illegible]][illegible]

[illegible]Install Shield[illegible]

ヒント

★ [illegible]○[illegible]

重要

◎ [illegible]

◎ [illegible] CD-ROM[illegible]CD-ROM[illegible]HDD[illegible]([illegible])[illegible]CD-ROM[illegible] CD-ROM[illegible]

◎ [illegible] LAN[illegible]LAN[illegible]

重要

◎ [illegible]

ヒント

★ d[illegible] CD-ROM[illegible]CD-ROM[illegible]

5 CD□□□□□□□[□□]□□□□□□□□□□□□

□ Windows□□□□□□□□□□

□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□

1 [□□□□□□□ □□□]□[□□]□□□□□□□□□□□□□□□□□□□□□□□□□□

2 [□□]□□□[□□]□□□□□□□□□□□□□[Intel(R) 82830M Graphics Controller-0□□□□□]□□□□

3 [□□□]□□[□□]□□□□□□□□□□[□□□□□□□□□□□□□□□□]□□□□□□



Intel(R) 82830M Graphics Controller－0のプロパティ

? ×
色の管理
Intel(R) Graphics Technology
全般
アダプタ
モニタ
パフォーマンス
標準モニタ
変更(C)...
オプション

☐ 省電力モニタ(E)
☑ プラグ アンド プレイ モニタを自動的に検出する(P)
☑ 中断/再開したときはディスプレイをリセットする(R)

OK
キャンセル
適用

4 [□□]□□□□□□□□□□□

5 □□□[□□]□□□□□□□□□□□

重要

◎ □□

ヒント

★ □□□[□□□□□□]□□□□□□□□□□[□□□□□□□□□□]□□□□□□□□□□

ヒント

★ [□□□□□□□□□□□□□□□□□□□□□□□□]□□□□□□□□□□□□□□□□□□□□



デバイス ドライバの更新ウィザード

検索方法を選択してください。

● 現在使用しているドライバよりさらに適したドライバを検索する（推奨）

○ 特定の場所にあるすべてのドライバの一覧を作成し、インストールするドライバを選択する

6 [□□□□□□□□□□□□□□]□□□□□□□□□□□□□□□□□ [□□□ :]□□□□□□□□□□□□□□□□□[□□□ :]□□□□□□□□□□□□□□□[□□]□□□□ 2□□□□□□□□



デバイス ドライバの更新ウィザード

ハードウェアの製造元とモデルを選択してください。ディスクに更新されたドライバがある場合は、[ディスクの使用] をクリックしてください。更新されたドライバをインストールするには、[次へ] をクリックしてください。

製造元(M)
(標準モニタの種類)
Aamazing Technologies, Inc.
Acer
Actix Systems, Inc
Adara Technology, Inc.
ADI

モデル(D)
Super VGA 1024x768
Super VGA 1024x768 @ 75 Hz
Super VGA 1280x1024
Super VGA 1280x1024 @ 75 Hz
Super VGA 1600x1200
Super VGA 800x600
Super VGA 800x600 @ 75 Hz

○ 互換性のあるハードウェアを表示(C)
● すべてのハードウェアを表示(A)

□□□□□□□□□

1 [□□□□]□□□ – [□□□□□□□□□□□□□□]□□□□□□□□□

□ [□□□□□□□□□□□□□□□□□]□□□□□□□□□□

2 CD-ROM□□□□□□□□□□□□□□□□□□CD□□□□□ d:¥programs¥win98¥sound¥setup□□□□□□[OK]□□□□□□□□□□□□□□□

□ [□□□□]□□□□□□□□□□□

3 [□□]□□□□□□□□□□□□□□□□

□ [□□□□□□□□□□□□□]□□□□□□□□□□□

4 □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

5 □□□□□□CD□□□□□□□□[□□]□□□□□□□□□□□□□□□

□ Windows□□□□□□□□□□□□□

参照

□□□□□□□□□□□□□□□□□□□□□□□□□□ →□□□□□□□□□□□□□□□□□□□□□□□

重要

◎ □□□□□□□□□□□□□ FD□□□□□□□□□□□□□□□□□□□□□□□[□□□□□□□]□□

重要

◎ □□□□□□□□□□Volume Control □□□□□□□□□□□□□□□□□□□□□□□□□□□□□

ヒント

★ d□ CD-ROM□□□□□□□□□□ CD-ROM□□□□□□□□□□□□

ヒント

★ [□□□□□□□□□]□□□□□□□□□□□□□□□[□□]□□□□□□□□□□□□□□□□□□

LAN[illegible]

1 CD-ROM[illegible]CD[illegible]

2 [[illegible] [illegible]][illegible][[illegible]][illegible]

3 [[illegible] [illegible]][illegible][[illegible] [illegible]][illegible]

4 [Realtek RTL8139/810x Family Fast Ethernet NIC][illegible]

[illegible]

5 [[illegible]][illegible][[illegible]][illegible]

[[illegible] [illegible]][illegible]

6 [[illegible]][illegible]

7 [illegible][[illegible]][illegible]

[[illegible]][illegible]

8 [[illegible]][illegible]

[[illegible]][illegible]

9 [[illegible]][illegible]d:¥programs¥win98¥lan[illegible][OK][illegible]

[[illegible]][illegible]

10 [Realtek RTL8139/810x Family Fast Ethernet NIC][illegible][OK][illegible]

[[illegible]][illegible]

重要

◎ LAN[illegible]TCP/IP[illegible]IP[illegible]

ヒント

★ d[illegible]CD-ROM[illegible]CD-ROM[illegible]

11 [[illegible]] [illegible] [[illegible]] [illegible]

[illegible]

12 CD [illegible] [[illegible]] [illegible]

[illegible] Windows [illegible]

[illegible]

1 [[illegible]] [illegible] − [[illegible]] [illegible]

[illegible] [[illegible]] [illegible]

2 CD-ROM [illegible] CD [illegible]
d:¥programs¥win98¥modem¥LTSMhom.exe [illegible] [OK] [illegible]

[illegible] [Welcome] [illegible]

3 [Next] [illegible]

[illegible]

4 [[illegible]] [illegible] [OK] [illegible]
[[illegible]] [illegible] d:¥programs¥win98¥modem [illegible] [OK] [illegible]

[illegible]

5 [Finish] [illegible]

[illegible]

1 [[illegible]] [illegible] − [[illegible]] [illegible]

[illegible] [[illegible]] [illegible]

重要

◎ [illegible] Lucent Technologies Soft Modem AMR [illegible] OK [illegible]

ヒント

★ d [illegible] CD-ROM [illegible] CD-ROM [illegible]

2 CD-ROM□□□□□□□□□□□□□□CD□□□□d:¥programs¥win98¥touch-pad¥setup□□□□□[OK]□□□□□□□□□□□□□□

□ [□□□□□□□□□]□□□□□□□□□□□

3 □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□[OK]□□□□□□□□□□□□□□□

□ [□□□□□□]□□□□□□□□□□□□

4 [□□□]□□□□□□□□□□□□□□□□□

□ [□□□□□□□□□□□□□□□]□□□□□□□□□□□□□

5 [□□□]□□□□□□□□□□□□□□□□□

□ [□□□□□□□□□□□□□□□]□□□□□□□□□□□□□

6 [□□□]□□□□□□□□□□□□□□□□□

□ □□□□□□□□□□□□□□□[□□□□□□□□□□□□□]□□□□□□□□□□□□

7 CD□□□□□□□□□[□□□]□□□□□□□□□□□□□□□□□□□

□ Windows□□□□□□□□□□□□□

□□ LAN□□□□□

1 [□□□□□]□□□□−[□□□□□□□□□□□□□□□□□□□]□□□□□□□□□□□

□ [□□□□□□□□□□□□□□□□□□□]□□□□□□□□□□□□□

2 c:¥hitachi¥wlan¥setup□□□□□[OK]□□□□□□□□□□□□□□□□□□

□ [InstallShield]□□□□□□□□□□□□

3 [□□□]□□□□□□□□□□□□□□□□

□ [□□□□□□□□□]□□□□□□□□□□□□□

4 [□□□]□□□□□□□□□□□□

□ [□□□□□□□□□□□□□□□]□□□□□□□□□□□□□

5 [□□□]□□□□□□□□□□□□□□□□□

ヒント

★ d□ CD-ROM□□□□□□□□
CD-ROM□□□□□□□□□□□□□

重要

◎ Windows□□□□□□□□□□□
□□□[TouchPad□□□□□]□
□□□□□□□□□□□□□□□□□□□□□
□□□□□□□□□□□□□□□□□□
[□□□]□□□□□□□□□□□□□□□
□□
□□□□□□□□□□[TouchPad□
□□□□]□□□□□□□□□□□□□□
□□□□□□□□□□□□□□ Windows
□□□□□□□□□□□□□□□□
□□□□□□□□□□□□□□□□□□□□□
□□□□□□□[□□□□]□□□□□
□□□□□□□□□□□□□□□□

ヒント

★ □□ LAN□□□□□□□□□□□□
□□□□□□□□□□□□□□□□□ LAN
□□□□□□□□□□□□□□□□□□□
□□□□□□□□□□□□□□□□

★ □□□□□□□CD□
¥programs¥win98¥wlan□□□
□□□□□□□□□□□□□□□

[illegible]

6 [[illegible]] [illegible]

[illegible] [InstallShield [illegible]] [illegible]

7 CD [illegible] [[illegible]] [illegible] Windows [illegible]

USB FD [illegible]

1 USB FDD [illegible] USB [illegible] USB [illegible]

[illegible] [[illegible]] [illegible]

2 [[illegible]] [illegible]

3 [illegible]
[[illegible]] [illegible]

4 [illegible] CD [illegible] CD-ROM [illegible] d:¥programs¥win98¥usbfdd [illegible] [[illegible]] [illegible]

5 [illegible] USB FDD [illegible] [[illegible]] [illegible]

[illegible]

6 [[illegible]] [illegible]

[illegible] [[illegible]] [illegible]

7 [[illegible]] [illegible]

8 [illegible] [[illegible]] [illegible]

9 [illegible] d:¥programs¥win98¥usbfdd [illegible] [[illegible]] [illegible]

10 [illegible] USB FDD [illegible] VXD [illegible] [[illegible]] [illegible]

11 [illegible] USB FDD [illegible] VXD [illegible] [[illegible]] [illegible]

[illegible]

12 [illegible] CD [illegible] [[illegible]] [illegible]

[illegible]

[illegible]

[illegible]	[illegible]	[illegible]
	○[illegible]×[illegible]	○[illegible] ×[illegible]
[illegible] LAN [illegible]	×	×
VirusScan	×	×
Intel(R) SpeedStep^{TM} Technology Applet *	[illegible]	[illegible]
CyberSupport for Hitachi	×	×
[illegible]	[illegible]	[illegible]
Norton Ghost 2002	×	×
Microsoft®Office XP ([illegible] Office XP) *	×	×
[illegible] *	×	×
ATOK *	×	×
Acrobat Reader	[illegible]	[illegible]
Easy CD Creator *	×	×

[illegible]

[illegible] LAN[illegible]

1 [[illegible]][illegible]－[[illegible]][illegible]

[illegible] [[illegible]][illegible]

2 c:¥hitachi¥wlan¥setup[illegible][OK][illegible]

[illegible] [InstallShield][illegible]

3 [[illegible]][illegible]

[illegible] [[illegible]][illegible]

ヒント

★ [illegible]○[illegible]

★ [illegible]○[illegible]

重要

◎ [illegible] 10 [illegible]

◎ [illegible] CD-ROM[illegible] CD-ROM[illegible] HDD[illegible]([illegible])[illegible]CD-ROM[illegible] CD-ROM[illegible]

◎ [illegible] Microsoft Office XP ([illegible] Office[illegible] CD[illegible] Office[illegible]Office[illegible]Office[illegible]

4 [□□]□□□□□□□□

□ [□□□□□□□□□□]□□□□□□□□□

5 [□□]□□□□□□□□□□□

□ □□□□□□□□□□□□□□□

6 [□□]□□□□□□□□□□□

□ □□□□□□□[InstallShield□□□□□□□□]□□□□□□□□□

7 CD□□□□□□[□□]□□□□□□□□□□Windows□□□□□□□□

VirusScan

1 [□□□□]□□□−[□□□□□□□□□□□□]□□□□□□□□

□ [□□□□□□□□□□□□]□□□□□□□□□

2 CD-ROM□□□□□□□□□□□□CD□□□□d:¥programs¥vscan¥setup□□□□□[OK]□□□□□□□□□□□

□ [□□□□]□□□□□□□□□

3 [□□]□□□□□□□□□□□

□ [□□□□□□□□□□□□□□□]□□□□□□□□□

4 [□□□□□□□□□□□□□□]□□□□□□□□[□□]□□□□□□□□□□□

□ [□□□□□□□□□]□□□□□□□□□

5 [□□□□□□□□]□□□□□□□□[□□]□□□□□□□□□□□

□ [□□□□□□□□□□□□□□□□]□□□□□□□□□

6 [□□□□□□]□□□□□□□□□□□

□ [□□□□□□□]□□□□□□□□□□□[McAfee VirusScan]□□□□□□□□□

ヒント

★ d□ CD-ROM□□□□□□□
CD-ROM□□□□□□□□□□

7 [illegible] [[illegible]] [illegible]

[illegible] [[illegible]] [illegible]

8 [[illegible]] [illegible] [[illegible]] [illegible]

[illegible] [McAfee VirusScan [illegible]] [illegible]

9 [[illegible]] [illegible]

[illegible]

Intel® SpeedStep™ Technology Applet

◎ CPU[illegible] PentiumIII[illegible]

1 [[illegible]] [illegible] − [[illegible]] [illegible]

[illegible] [[illegible]] [illegible]

2 [illegible] CD[illegible] CD-ROM[illegible] d:¥programs¥win98¥speedstp¥disk1¥setup [illegible] [OK] [illegible]

ヒント

★ d[illegible] CD-ROM[illegible] CD-ROM[illegible]

3 [illegible]

CyberSupport for HITACHI

重要

◎ [illegible]

1 CD-ROM[illegible] CD[illegible]

2 [[illegible]] [illegible] -[[illegible]] [illegible]

[illegible] [[illegible]] [illegible]

3 d:¥install¥cybersupport¥setup[illegible][OK][illegible]

4 [illegible]CyberSupport for HITACHI[illegible]?[illegible][[illegible]][illegible]

[illegible]CyberSupport[illegible]

5 [illegible][[illegible]][illegible]

[illegible]

[illegible]

1 CD-ROM[illegible]CD[illegible]

2 [[illegible]][illegible]-[[illegible]][illegible]

[illegible][[illegible]][illegible]

3 d:¥programs¥internetmarks¥2k9x¥mpime008[illegible][OK][illegible]

[illegible][[illegible]][illegible]

4 [illegible]

Norton Ghost 2002

1 CD-ROM[illegible]CD[illegible]

2 [[illegible]][illegible]－[[illegible]][illegible]

[illegible][[illegible]][illegible]

3 d:¥programs¥ghost¥install¥setup[illegible][OK][illegible]

[illegible][Norton Ghost 2002[illegible]InstallShield[illegible]][illegible]

ヒント

★ d[illegible] CD-ROM[illegible]
CD-ROM[illegible]

ヒント

★ d[illegible] CD-ROM[illegible]
CD-ROM[illegible]

参照

Norton Ghost 2002[illegible]→
[illegible]CD[illegible]
¥programs¥ghost¥Readme.txt [illegible]
¥programs¥ghost¥Documents¥Ghost_guide.pdf

ヒント

★ d[illegible] CD-ROM[illegible]

4 [[illegible]][illegible]

[illegible] [[illegible]][illegible]

5 [illegible]

[illegible][Norton Ghost 2002[illegible]] [illegible][[illegible]][illegible]

Acrobat Reader

1 CD-ROM[illegible]CD[illegible]

2 [[illegible]][illegible]-[[illegible]][illegible]

[illegible][[illegible]][illegible]

3 d:¥install¥ar505jpn[illegible][OK][illegible]

[illegible][Adobe Acrobat 5.05][illegible]

4 [illegible]

[illegible][[illegible]][illegible]

5 [OK][illegible]

ヒント

★ d[illegible]CD-ROM[illegible]
CD-ROM[illegible]

Windows□□□□□□□□□□□□□□□

Windows □□□□□□□□□□□□□□□□□□□□□□□□□□
□□□□□□□□□□□□□□□□□□□

1. [□□□□]□□□−[□□]−[□□□□□□ □□□]□□□□□□□□

2. [□□□□□□ □□□]□[□□□□□□□□□□□□□□]□□□
□□□□□□□□□□□□□□□□□□□□□

3. [Windows□□□□]□□□[□□□□□□□□□□]□□□□□□□
□□□□□□□□□□□□□□□□□

4. 1□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
□□□□□□□□□□□□□[□□]□□□□□□□□□□□□□□□□
□□□□□□□□□□□□□□□□□□[OK]□□□□□□□□□□□

5. [□□]□□□□□□□□□□□□□□□□□□□□□□□□□□□□
□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
□□□□□□□□□

5[illegible]

[illegible] Q&A

[illegible]

[illegible]

Q

[illegible]

A

[illegible]

[illegible] [[illegible]] [illegible] [[illegible]] [illegible] [[illegible]] [illegible]

[illegible] 640 × 480 [illegible] High Color (16 [illegible]) [illegible]

Q

[illegible]

A

[illegible]

[illegible]

[illegible]

Q

[illegible]

A

[illegible]

Q

[illegible]

A

[illegible] Windows [illegible]

[illegible]

[illegible] [MS-DOS [illegible]] [illegible]

[illegible] Safe [illegible] Windows [illegible]

1 [illegible] [Ctrl] [illegible]
2 [illegible] 3. Safe mode [illegible] [Enter] [illegible]
3 Windows [illegible] [[illegible]] [illegible]
4 [[illegible]] [illegible]
5 [[illegible]] [illegible] -[[illegible]]-[[illegible]] [illegible]
[illegible]

参照

[illegible] → 1 [illegible] (P. 9)

Q

□□□□□□□□□□□□

A

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□[□□□□]□□□ − [□□] − [□□ □□□□
[□□□□]□□□□]□□□□□□□□□□□□□□□□□[□□□□□ □□□□□]□□□ [□□□□□□□]□□□□□□□□□□□□□□□□□

Q

□□□□□□□□□[□□□□]□□□□□□□

A

□□□□□□□□□[□□□□]□□□□□□□□□□□

1 □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ □□[□□□□□□□□□□]□□□□□□

2 □□□□□□□□□□□□□□□□□□□□[□□□□]□□□□□□

3 [□□□□]□□□ − [□□] − [□□□□□□ [□□□□]□□□□] □□□□□□

4 [[□□□□]□□□□□□□]□□□□□□□□[□□]□□□□□□□ □□□□



タスク バーのプロパティ

タスク バー オプション　[スタート] メニューの設定

[スタート] メニュー

[スタート] メニューに項目を追加/削除できます。

追加(A)...　削除(R)...　詳細(D)...

[最近使ったファイル] の一覧

[最近使ったファイル] 一覧およびほかの個人的な履歴一覧を削除するには、[クリア] をクリックしてください。

クリア(C)

OK　キャンセル　適用(A)

5 [□□□□□□]□□□□□[□□] − [□□□□]□□□□□□

Q

[□□□□]□□□□□□□□□□□□□□□□□□□□

A

[□□□□]□□□□□□□□□□□

1 [□□□□]□□□ − [□□□□□□]□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□□ &□□□□□□□

Q

[illegible]

A

[illegible]

1 [illegible][[illegible]] – [[illegible]] [illegible]


アクティブ デスクトップ(D)
アイコンの整列(I)
等間隔に整列(L)
最新の情報に更新(E)
ショートカットの貼り付け
新規作成(W)
プロパティ(R)
名前順(N)
種類順(T)
サイズ順(Z)
日付順(D)
アイコンの自動整列(A)

[illegible]

1 [illegible][[illegible]] [illegible][[illegible]] [illegible]

Q

[illegible]

A

[illegible]

1 [[illegible]] [illegible] – [[illegible]]-[[illegible]] [illegible]

2 [[illegible]] [illegible][[illegible]] [illegible]

3 [[illegible]] [illegible][OK] [illegible]


アイコンの変更

ファイル名(F)

shimgvw.dll

現在のアイコン(C):

?
×
OK
キャンセル
参照(B)...

[illegible]

1 [[illegible]] [illegible] – [[illegible]] – [[illegible]] – [[illegible]] – [[illegible]] [illegible]

2 [[illegible]] [illegible](C:) [illegible][[illegible]] [illegible] [[illegible]] [illegible][[illegible]] [illegible][[illegible]] [illegible]


スキャンディスク – (C:)

エラー チェックをするドライブ(V)

3.5 インチ FD (A:)

(C:)

チェック方法

○ 標準(D)
(ファイルとフォルダのチェック)

● 完全(T)
(標準チェックとクラスタのエラー チェック)

☑ エラーを自動的に修復(F)

オプション(O)
開始(S)
閉じる(C)
詳細(A)

3 [[illegible]] [illegible]

Q

[illegible]

A

[illegible]

1 [illegible] bmp [illegible] C:¥Windows [illegible]

2 [illegible] [[illegible]] [illegible] [[illegible]] [illegible]

3 [[illegible]] [illegible]

4 [illegible] [[illegible]] [illegible] [[illegible]] [illegible] [[illegible]] [illegible] [OK] [illegible]



Active Desktop に使用する模様を選択できます。この模様は壁紙の周りの使われていない領域に使用されます。

模様(P):
(なし)
ウェハース
カーペット
カギ穴
かご
コロシウム

模様
OK
キャンセル
プレビュー
模様の編集(E)...

5 [OK] [illegible]

Q

[illegible]

A

[illegible]

1 [illegible] [[illegible]] [illegible]

2 [[illegible]] [illegible] [[illegible]] [illegible] [[illegible]] [illegible] [[illegible]] [illegible] [[illegible]] [illegible]



Intel(R) 82830M Graphics Controller - 0のプロパティ

ディスプレイ
フォント サイズ(F): 小さいフォント
通常のサイズ (96 dpi)
☐ タスク バーに設定インジケータを表示する(S)

互換性
色の設定を変更後、コンピュータを再起動しないと、正しく動作しないプログラムがあります。
次のオプションを選択してください：
○ 新しい色の設定を適用する前にコンピュータを再起動する(R)
○ 再起動しないで新しい色の設定を適用する(A)
● 新しい色の設定を適用する前に確認のメッセージを表示する(M)

色の管理
Intel(R) Graphics Technology
全般
アダプタ
モニタ
パフォーマンス
OK
キャンセル
適用

3 [OK] [illegible] [[illegible]] [illegible]

4 [illegible] [[illegible]] [illegible]

[illegible]

1 [illegible] [[illegible]] [illegible]

2 [[illegible]] [illegible] [[illegible]] ([illegible]) [illegible]


画面のプロパティ
背景
スクリーン セーバー
デザイン
効果
Web
設定
1
2
詳細(D)...
OK
キャンセル
適用(A)

ディスプレイ: 1. Super VGA 1024x768 - Intel(R) 82830M Graphics Controller - 0

色: High Color (16 ビット)

画面の領域: 小 — 大 1024 x 768 ピクセル

[illegible]

1 [[illegible]] [illegible] – [[illegible]] – [[illegible]] [illegible] [[illegible]] [illegible]

2 [[illegible]] [illegible] [[illegible]] [illegible] [OK] [illegible]


ユーザー補助のプロパティ
キーボード
サウンド
画面
マウス
全般
ハイコントラスト
設定(S)...
OK
キャンセル
適用(A)

この機能を使うと、画面表示に読みやすい色とフォントが使われます。

☑ ハイコントラストを使う(U)

Q

[illegible]

A

[illegible] MS-DOS [illegible] Windows [illegible] MS-DOS [illegible]

[illegible]

Q

[illegible]

A

[illegible]

参照

[illegible]
→[illegible] 3 [illegible]

Q

□□□□□□□□□□□□□

A

□□□□□□□□□□□□□□□□□

1 [□□□□□]□□□－[□□]－[□□□□□□□□□]□□□□□□

2 [□□□]□□□□□□□□□□□□□□□□□□

3 [□□]□□□□□□□□□□[□□□□□□□□□□]□□□□□□□□□□□□□□□□□


マウスのプロパティ
クイック セットアップ
ポインタ
ボタン
動作
方向設定
デバイス
ポインタの速度と加速
速度(S)
遅く
速く
ポインタの加速
いいえ(N)
普通(M)
低(L)
高(I)
スマート ムーブ
有効(B)
スマート ムーブは、新しく開いたダイアログボックスのデフォルトのボタンに、ポインタを自動的に合わせる機能です。
カーソルの軌跡
有効(E)
OK
キャンセル
適用(A)
ヘルプ

Q

□□□□□□□□□□□

A

□□□□□□□□□□□□□□□□□□□□

1 [□□□□□]□□□－[□□]－[□□□□□□□□□]□□□□□□

2 [□□□]□□□□□□□□□□□□□□□□□□

3 [□□□□□]□□□□□□□□□□□

4 [□□□□□□]□□□□□□□□□□□

5 □Arrow_m□□□□□□[□□]□□□□□□□□□□□


参照
ファイルの場所(I)
Cursors
Appstart
Arrow_1
Arrow_i
Arrow_il
Arrow_im
Arrow_l
Arrow_m
Arrow_r
Arrow_rl
Arrow_rm
Beam_1
Beam_i
Beam_il
Beam_im
Beam_l
Beam_m
Beam_r
Beam_rl
Beam_rm
Busy_1
Busy_i
Busy_il
Busy_im
Busy_l
ファイル名(N)
Arrow_m
開く(O)
ファイルの種類(T)
ポインタ (*.ani, *.cur)
キャンセル
プレビュー：

6 [OK]□□□□□□□□□□□□

Q

□□□□□□□□□□□□□□□

A

□□□

参照

□□□□□□□□□□□□□□□□□□□□□□□□□→ 3□□□□□□□□□□□□□□□□□(P. 47)

[illegible]

Q

[illegible]

A

[illegible]

[illegible]

[illegible]

[illegible]
1 [[illegible]] [illegible] [[illegible]] [illegible]
2 [[illegible]] [illegible] [[illegible]] [illegible]
3 [illegible] [[illegible]] [illegible]

Q

[illegible]

A

[illegible]

[illegible]

[illegible] [Volume Control] [illegible]

Q

[illegible]

A

[illegible] [Volume Control] [illegible]

Q

[illegible]

A

[illegible]

1 [[illegible]] [illegible] [[illegible]] [illegible]
2 [[illegible]] [illegible] [[illegible]] [illegible] Windows [illegible]

参照
[illegible] → 1[illegible] (P. 15)

参照
[illegible] → 3[illegible] (P. 46)

参照
[illegible] →[illegible]

参照
[illegible] →[illegible]

参照
[illegible] → 1[illegible] (P. 15)


マルチメディアのプロパティ
オーディオ
ビデオ
MIDI
音楽 CD
デバイス
再生
録音
詳細プロパティ(P)
詳細プロパティ(R)
OK
キャンセル
適用(A)

再生　優先するデバイス(D): ALi Audio Wave

詳細オプションを設定するには、このボタンをクリックしてください：

録音　優先するデバイス(E): ALi Audio Wave

詳細オプションを設定するには、このボタンをクリックしてください：

☐ 優先するデバイスのみ使う(U)

☑ 音量の調節をタスク バーに表示する(S)

Q

[illegible]

A

[illegible] Windows [illegible]

[illegible]

[illegible]

Q

[illegible]

A

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

参照

[illegible] → [illegible] 2 [illegible]

Q

[illegible]

A

[illegible] [[illegible]] [illegible] [[illegible]] [illegible]

[illegible]
[[illegible]] [illegible] [[illegible]] [illegible] [[illegible]] [illegible] [[illegible]] [illegible]

Q

[illegible]

A

[illegible]

[illegible]

1 [[illegible]] [illegible] − [[illegible]] − [[illegible]] [illegible]
2 [illegible] [[illegible]] [illegible]
3 [[illegible]] [illegible] [[illegible]] [illegible] [[illegible]] [illegible] [[illegible]] [illegible]


EPSON VP-1000のプロパティ
? ×
全般
詳細
用紙
グラフィックス
フォント
デバイス オプション
EPSON VP-1000
ポートの追加(T)...
ポートの削除(D)...
ドライバの追加(W)...
プリンタ ポートの割り当て(C)...
プリンタ ポートの解除(N)...
タイムアウト設定(I)
スプールの設定(L)...
ポートの設定(O)...
OK
キャンセル
適用(A)

印刷先のポート(P): LPT1: (プリンタ ポート)
印刷に使用するドライバ(U): EPSON VP-1000
未選択時(S): 15 秒
送信の再試行時(R): 45 秒

CD-ROM[illegible] CD-R/RW[illegible] DVD-ROM&CD-R/RW[illegible]

Q

DVD-ROM[illegible] CD-ROM[illegible]

A

[illegible] DVD-ROM[illegible] CD-ROM[illegible] Macintosh[illegible] CD-ROM[illegible]

[illegible] CD-ROM [illegible]

[illegible] CD-R [illegible] CD-RW[illegible] CD-R [illegible] CD-RW[illegible]

参照

[illegible] → [illegible] 3[illegible]

Q

CD-ROM/DVD-ROM[illegible]Not Ready[illegible]

A

[illegible]CD-ROM/DVD-ROM[illegible]

[illegible]

1 [[illegible]] [illegible] -[[illegible]]-[[illegible]] [illegible]

2 [[illegible]] [illegible] [[illegible]] [illegible]

3 [[illegible]] [illegible] [[illegible]] [illegible] [[illegible]] [illegible]

4 [CD-ROM] [illegible]

[illegible]

Q

[illegible]

A

[illegible]

[illegible] [[illegible]] [illegible] [3.5 [illegible] FD] [illegible]

Q

[illegible]

A

[illegible] 720KB [illegible] 1.25MB [illegible] 1.44MB [illegible]

[illegible] Macintosh [illegible]

[illegible]

[illegible]

[illegible] MS-DOS [illegible] 1.25MB [illegible] FD [illegible] Windows [illegible]

Q

[illegible]

A

[illegible]

[illegible]

参照

[illegible] → [illegible] 2 [illegible]

[illegible]

Q

FDD[illegible]

A

[illegible] [illegible][[illegible] [illegible]][illegible][3.5[illegible] FD][illegible]

Q

HDD[illegible]

[illegible]HDD[illegible][[illegible]][illegible]HDD[illegible][[illegible]][illegible][[illegible]][illegible]－[[illegible]]－[[illegible]]－[[illegible] [illegible]]－[[illegible]][illegible]

[illegible]

Q

[illegible]

A

[illegible]

1 [[illegible]][illegible]－[[illegible]]－[[illegible]]－[[illegible]]－[[illegible]][illegible][[illegible]][illegible]

2 [illegible][OK][illegible]

3 [illegible]/[illegible][OK][illegible]



ディスク クリーンアップ - (C:)

ディスク クリーンアップを実行すると (C:) の空き領域が 1.87 MB 増加します。

削除するファイル(F):

☑	Temporary Internet Files	0.33 MB
☑	ダウンロードされたプログラム ファイル	0.00 MB
☐	ごみ箱	1.53 MB
☐	一時ファイル	0.01 MB

増加するディスク領域の合計： 0.33 MB

説明

[Temporary Internet Files] フォルダには、アクセスを速くする目的で、ハード ディスクに保存した Web ページがあります。ハード ディスクに保存した Web ページには、Web ページ用に設定した個人用設定が、そのままの状態で保存されます。

ディスク クリーンアップ
その他のオプション
設定
ファイルの表示(V)
OK
キャンセル
[illegible]

4 [illegible][[illegible]][illegible]

重要

◎ Windows[illegible]500MB[illegible]

A

[illegible]

[illegible]

[illegible]

[illegible] MO [illegible]

Q

1[illegible]

A

[illegible] ([illegible]) [illegible]

1 FDISK [illegible]
2 [[illegible]] [illegible]
3 [illegible] [[illegible]]-[[illegible]] [illegible]
4 [[illegible]] [illegible] [[illegible]] [illegible]
5 [illegible] [OK] [illegible]
6 [OK] [illegible] [[illegible]] [illegible]
7 [[illegible]] [illegible] 2 [illegible]

参照

[illegible] →
[illegible] Windows [illegible] 3 [illegible]

[illegible]

Q

[illegible]

A

[illegible]

[illegible]

[illegible]

[illegible]

参照

[illegible]→[illegible] 2[illegible]

参照

[illegible]→[illegible] 2[illegible]

Q

[illegible]

A

[illegible]

[illegible] [[illegible]] [illegible] [[illegible]] [illegible] [[illegible]] [illegible]

参照

[illegible] →[illegible]

Q

[illegible] LAN[illegible]

A

[illegible] LAN[illegible] ?[Wireless] [illegible] LAN[illegible] [Wireless] [illegible]

[illegible] LAN[illegible] ? [illegible]

[illegible] (wep) [illegible]

参照

[illegible] → 3[illegible] LAN[illegible] (P. 49)

Q

LAN[illegible]

A

[illegible] HUB[illegible] ([illegible] / [illegible]) [illegible] HUB [illegible] 10BASE-T/100BASE-TX[illegible]

[illegible] HUB[illegible]

[illegible]

[illegible]

[illegible] 100BASE-TX[illegible] 100BASE-TX[illegible]

[illegible] LAN[illegible]

[illegible]

[illegible] NetWare [illegible] IPX/SPX [illegible] NetWare [illegible] auto [illegible]

Q

10BASE5/10BASE-T [illegible]

A

[illegible] HUB [illegible] 10BASE5 [illegible] 10BASE-T [illegible] HUB [illegible] SQE [illegible] OFF [illegible] SQE [illegible] ON [illegible]

[illegible] SQE [illegible] ON [illegible] 10BASE-T [illegible] LAN [illegible] HUB [illegible] 1 [illegible] 2 [illegible]

Q

[illegible]

A

[illegible] HUB [illegible] HUB [illegible]

[illegible] Windows [illegible] MS-DOS [illegible] MS-DOS [illegible]

[illegible]

Q

[illegible]

A

[illegible]

1 [[illegible]] [illegible] – [[illegible]] – [[illegible]] [illegible]

2 [[illegible]] [illegible] [[illegible]] [illegible] [[illegible]] [illegible] [[illegible]] [illegible]


フォルダ オプション
全般
表示
ファイル タイプ
フォルダの表示
全フォルダをリセット(R)
詳細設定
標準に戻す(D)
OK
キャンセル
適用(A)

すべてのフォルダを同じ設定で表示できます。

☐ タイトル バーにファイルのパス名を表示する
☑ フォルダとデスクトップの項目の説明をポップアップで表示する
☑ 各フォルダの表示設定を保存する
☑ 登録されているファイルの拡張子は表示しない
表示されないファイル
● すべてのファイルを表示する
○ 隠しファイルとシステム ファイルを表示しない
○ 隠しファイルを表示しない
映像設定
☐ ウィンドウの内容を表示したままドラッグする

3 [OK] [illegible]

[illegible]

[illegible]
1 [[illegible]] [illegible] – [[illegible]] – [[illegible]] [illegible]
2 [[illegible]] [illegible]
3 [[illegible]] [illegible] [C:] [illegible]


検索：条件 = すべてのファイル
ファイル(F)
編集(E)
表示(V)
オプション(O)
ヘルプ(H)
名前と場所
日付
その他
名前(N)
含まれる文字列(C)
探す場所(L)
サブフォ
検索開始(I)
新しい条件(W)
ドキュメント フォルダ
ドキュメント フォルダ
デスクトップ
My Documents
マイ コンピュータ
赤外線の受信側
3.5 インチ FD (A:)
(C:)
(D:)
shared – Hasegawa

☑ サブフォ
探す場所(L): ドキュメント フォルダ

4 [[illegible]] [illegible] [[illegible]] [illegible] [[illegible]] [illegible] [[illegible]] [illegible]


検索：条件 = すべてのファイル
ファイル(F)
編集(E)
表示(V)
オプション(O)
ヘルプ(H)
名前と場所
日付
その他
検索開始(I)
新しい条件(W)

○ すべてのファイル(A)
● 一定期間内の次のファイルすべて(N) 変更されたファイル
● 日付指定(D): 00/11/29 から 01/02/27
○ 過去(S) か月間
○ 過去(D) 日間

5 [illegible]

[illegible]

Q

CD-ROM/DVD-ROM[illegible]

A

[illegible]
1 [illegible] [[illegible]] [illegible]
2 [[illegible]] [illegible]
3 [[illegible]] [illegible] [[illegible]] [illegible]
4 [illegible] [×] [illegible]

[illegible]

Q

[illegible]

A

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

1 [[illegible]] [illegible] [[illegible]] [illegible]

2 [illegible] [[illegible]] – [[illegible]] [illegible]

3 [[illegible]] [illegible]


接続
?
×
全般
サーバーの種類
スクリプト処理
マルチリンク
接続
電話番号の入力
国番号(U)
接続の方法(N)
設定(C)...
OK
キャンセル

市外局番(R): 123 – 電話番号(P): 456-7890

国番号(U): 日本 (81)

☑ 市外局番とダイヤルのプロパティを使う(S)

接続の方法(N): 標準 56000 bps V90 モデム

[illegible] ID [illegible]

1 [illegible] [Internet Explorer] [illegible] [[illegible]] [illegible]

2 [[illegible]] [illegible] [[illegible]] [illegible] [[illegible]] [illegible]

3 [illegible]


インターネット設定
?
×
自動設定
プロキシ サーバー
ダイヤルアップの設定
詳細(C)
プロパティ(O)
OK
キャンセル

自動設定にすると、手動による設定事項を上書きする場合があります。手動による設定事項を確保するには、自動設定を使用不可にしてください。

☐ 設定を自動的に検出する(A)

☐ 自動設定のスクリプトを使用する(S)

☐ プロキシ サーバーを使用する(X)

ユーザー名(U): taro

パスワード(P): ********

ドメイン(D): HITACHI

[illegible]

[illegible]

1 [[illegible]] [illegible] – [[illegible]] – [[illegible]] [illegible]

2 [[illegible]] [illegible]

3 [[illegible]] [illegible]

4 [[illegible]] [illegible] [[illegible]] [illegible] [[illegible]] [illegible]


標準 56000 bps V90 モデムのプロパティ
?
×
全般
接続
接続の形式
接続オプション
秒
分
ポートの設定(O)...
詳細(V)...
OK
キャンセル

データ ビット(D): 8

パリティ(P): なし

ストップ ビット(S): 1

☑ トーンを待ってからダイヤルする(W)

☐

☐

5 [[illegible]] [illegible] [[illegible]] [illegible] / [illegible]
[illegible]



ダイヤルのプロパティ

所在地情報

登録名(D): 新しい場所
新規(N)...
削除(E)
国名/地域(Y): 日本
市外局番(C): 0123
市外コード(E)

所在地からの通話
外線発信番号
市内通話: 0
市外通話: 1
☐ キャッチホン機能を解除する番号(W):
ダイヤル方法: ● トーン(T) ○ パルス(P)
☐ 長距離通話に使用する通話カード(U)
なし
変更(G)...

OK キャンセル 適用(A)

[illegible] IP [illegible] TCP/IP [illegible]

1 [[illegible]] [illegible]
2 [[illegible]] [illegible]
3 [illegible] [[illegible]] – [[illegible]]
[illegible]
4 [[illegible]] [illegible] [TCP/IP [illegible]] [illegible]
5 IP [illegible]



TCP/IP 設定

● サーバーが割り当てた IP アドレス(S)
○ IP アドレスを指定する(P)
IP アドレス(A): 0 . 0 . 0 . 0
○ サーバーが割り当てたネーム サーバー アドレス(E)
● ネーム サーバー アドレスを指定する(M)
プライマリ DNS(D): XXX . XXX . XX . XX
セカンダリ DNS(N): XXX . XXX . XX . XX
プライマリ WINS(W): 0 . 0 . 0 . 0
セカンダリ WINS(I): 0 . 0 . 0 . 0
☑ IP ヘッダー圧縮を使う(C)
☑ リモート ネットワークでデフォルト ゲートウェイを使う(G)

OK キャンセル

Q

[illegible]

A

[illegible]

1 [illegible] [Internet Explorer] [illegible] [[illegible]
[illegible]] [illegible]
2 [[illegible]] [illegible] [[illegible]] [illegible]
[illegible] [[illegible]] [illegible]
3 [illegible] [[illegible]] [illegible]
4 [[illegible]] [illegible]
[illegible]



ダイヤルアップの詳細

接続の再試行回数(T): 10 回
待機(W): 5 秒 (再試行の待ち時間)
☑ アイドル時間が次の場合切断する(C): 20 分
☐ 接続が必要なくなったとき切断する(D)

OK キャンセル

[illegible] II [illegible]
[illegible]

[illegible]

[illegible] Outlook Express [illegible] [[illegible]] [illegible]

[illegible]

[illegible]

Q

[illegible]

A

[illegible]

Q

[illegible]

A

[illegible] URL [illegible]

[illegible] URL [illegible]

[illegible]

1 [[illegible]] [illegible] – [[illegible]] – [[illegible]] – [[illegible]] – [[illegible]] [illegible] [[illegible]] [illegible]

2 [illegible] [OK] [illegible]

3 [[illegible]] [illegible] / [illegible] [OK] [illegible]



ディスク クリーンアップ － (C:)

ディスク クリーンアップを実行すると (C:) の空き領域が 1.87 MB 増加します。

削除するファイル(F):

☑	Temporary Internet Files	0.33 MB
☑	ダウンロードされたプログラム ファイル	0.00 MB
☐	ごみ箱	1.53 MB
☐	一時ファイル	0.01 MB

増加するディスク領域の合計 0.33 MB

説明

[Temporary Internet Files] フォルダには、アクセスを速くする目的で、ハード ディスクに保存した Web ページがあります。ハード ディスクに保存した Web ページには、Web ページ用に設定した個人用設定が、そのままの状態で保存されます。

ディスク クリーンアップ
その他のオプション
設定
ファイルの表示(V)
OK
キャンセル

4 [illegible] [[illegible]] [illegible]

[illegible] URL [illegible]

1 [illegible] [Internet Explorer] [illegible] [[illegible]] [illegible]

2 [[illegible]] [illegible] [Web [illegible]] [illegible] [[illegible]] [illegible]

3 [[illegible]] [illegible] [[illegible]] [illegible]

4 [illegible] [[illegible]

5 [[illegible]] [illegible] [OK] [illegible]

Q

□□□□□□□□□□□□

A

□□□□□□□□□□□□□

1 [□□□□□] □□□ – [□□] – [□□□□□□ □□□] □□□□□□
2 [□□□] □□□□□□□□□□□□□□□□□□□□[□□] □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□[□□□□□] □□□□□□□□□□□□□
3 [□□] □□□□□□□□□□□□□[□□] □□□□□□□□□□□□□□



接続の詳細設定

☑ エラー制御を使う(E)
☐ 接続に必要(R)
☑ データの圧縮(C)
☐ 移動体通信（セルラー）を使う
変調方式(M)
追加設定(X)
ATM0
☐ ログに追加(A)
☑ フロー制御を使う(F)
● ハードウェア (RTS/CTS)(H)
○ ソフトウェア (XON/XOFF)(S)

4 [□□□□□] □□□□□ATM0□□□□□□[OK] □□□□□□□□□□
5 [OK] □[□□□] □□□□□□□□□□□□□□□□□□□□

Q

□□□□□□□□□

A

□□

□□
1 [□□□□□] □□□ – [□□] – [□□□□□□ □□□] □□□□□□
2 [□□□] □□□□□□□□□□□□□□□□□□□□[□□] □□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□

Q

□□□□□□□□□□□□

A

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□
1 □□□□□□□□□□□□□□□□□□□□□□□□□□[□□□□□] – [□□□□□□□□] □□□□□□□
2 □□□□□□□□□□□□□□□□□□□□□[□□] □□□□□□□□□□□□□□□[□□] □□□□□□□□□□□□□



お気に入りの整理

新しいフォルダを作成するには、[フォルダの作成] ボタンをクリックしてください。項目の名前を変更または削除するには、項目を選択してから [名前の変更] ボタン、または [削除] ボタンをクリックしてください。

ニュース
http://floracity.hitachi.co.jp/go/index.htm
表示回数 37
最終表示日時 2000/09/21 17:53
☐ オフラインで使用する(O)

日立のお勧めのサイト
MSN
ラジオ ステーション ガイド
日立の樹オンラインへようこそ！
DreamNet
DreamNet News
Homestead Powered by Dream...
DreamNet メンテナンス･障害情報
アクセスポイント別接続状況
ユーザーサポート･設定
ヘルプ＆サポート トラブルがおきたら
DreamPreview

ヒント

★ □□□□□□□□□□□□4□□□□□□ATM0□□□□□□□□□□□□

参照

□□□□□□□□□□□□□→□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

Q

[illegible]

A

[illegible]

1 [illegible] [[illegible]]－[[illegible]] [illegible]

2 [[illegible]] [illegible] [[illegible]] [illegible] [[illegible]] [illegible]

3 [[illegible]] [illegible] [[illegible]] [illegible] [Internet Explorer [illegible]] [illegible] [[illegible]] [illegible]



設定

保存しているページの新しいバージョンの確認
- ● ページを表示するごとに確認する(E)
- ○ Internet Explorer を起動するごとに確認する(S)
- ○ 自動的に確認する(A)
- ○ 確認しない(N)

インターネット一時ファイルのフォルダ
現在の場所　C:¥WINDOWS¥TEMP¥Temporary Internet Files¥

使用するディスク領域(D)　251 MB

フォルダの移動(M)...
ファイルの表示(V)...
オブジェクトの表示(O)...
OK
キャンセル

[illegible]

1 [illegible] [[illegible]]－[[illegible]] [illegible]

2 [[illegible]] [illegible] [[illegible]] [illegible] [[illegible]] [illegible] [OK] [illegible]

[illegible]

1 [[illegible]] [illegible]－[[illegible]]－[[illegible]]－[[illegible]]－[[illegible]] [illegible] [[illegible]] [illegible]

2 [illegible] [OK] [illegible]

3 [[illegible]] [illegible] / [illegible] [OK] [illegible]



ディスク クリーンアップ － (C:)

ディスク クリーンアップを実行すると (C:) の空き領域が 187 MB 増加します。

削除するファイル(F)

☑	Temporary Internet Files	0.33 MB
☑	ダウンロードされたプログラム ファイル	0.00 MB
☐	ごみ箱	1.53 MB
☐	一時ファイル	0.01 MB

増加するディスク領域の合計 : 0.33 MB

説明

[Temporary Internet Files] フォルダには、アクセスを速くする目的で、ハード ディスクに保存した Web ページがあります。ハード ディスクに保存した Web ページには、Web ページ用に設定した個人用設定が、そのままの状態で保存されます。

ディスク クリーンアップ
その他のオプション
設定
ファイルの表示(V)
OK
キャンセル
[illegible]

4 [illegible] [[illegible]] [illegible]

Q

[illegible]

A

[illegible]

1 [illegible][[illegible]]－[[illegible]]－[[illegible]（[illegible] JIS)][illegible][[illegible]（[illegible]）][illegible]

[illegible]

1 [illegible][[illegible]]－[[illegible]][illegible]

2 [[illegible]][illegible][[illegible]][illegible]

3 [[illegible] [ja]][illegible][[illegible]][illegible][[illegible] [ja]][illegible][[illegible]][illegible][[illegible] [ja]][illegible] [OK][illegible]


言語の優先順位
?
×

Web サイトによっては、コンテンツを複数の言語で提供する所もあります。使用する言語を選択してください。上位にある言語が優先されます。

言語(L):
日本語 [ja]
英語 (US) [en-us]
フランス語 (フランス) [fr]
中国語 (中国) [zh-cn]

上へ(U)
下へ(D)
削除(M)
追加(A)...
変更(C)...
OK
キャンセル

メニューおよびダイアログ ボックスは、現在 日本語 で表示されています。

Q

[illegible]

A

[illegible]

1 [illegible] [Internet Explorer] [illegible][[illegible]][illegible]

2 [[illegible]][illegible][[illegible]][illegible]

3 [[illegible]][illegible]


インターネット 設定
?
×
自動設定
プロキシ サーバー
ダイヤルアップの設定
詳細(C)...
プロパティ(O)
OK
キャンセル

自動設定にすると、手動による設定事項を上書きする場合があります。手動による設定事項を確保するには、自動設定を使用不可にしてください。

☐ 設定を自動的に検出する(A)

☐ 自動設定のスクリプトを使用する(S)

☑ プロキシ サーバーを使用する(X)

アドレス(E): XXX.XXX.XX.XX　ポート(T): XX

☐ ローカル アドレスにはプロキシ サーバーを使用しない(B)

ユーザー名(U): taro

パスワード(P): ********

ドメイン(D): HITACHI

[illegible]

1 [illegible][[illegible]]－[[illegible]][illegible]

2 [[illegible]][illegible][[illegible]][illegible]

3 [OK] [illegible]


インターネット オプション
全般
セキュリティ
コンテンツ
接続
プログラム
詳細設定
既定の設定に戻す(R)
OK
キャンセル
適用(A)

設定(S):

● 常に表示する
○ 表示しない
☐ 個人用に設定した [お気に入り] メニューを使用する
☑ 常に UTF-8 として URL を送信する (再起動が必要)
☑ 履歴およびお気に入りで使用していないフォルダを閉じる (再起動が必要)
マルチメディア
☐ Internet Explorer (5.0 以降) のラジオ バーを常に表示
☑ アニメーションを再生する
☑ サウンドを再生する
☐ ダウンロードする画像のプレースホルダを表示する
☑ ビデオを再生する
☑ 画像を滑らかにする
☐ 画像を表示する
ユーザー補助
☐ フォーカスや選択範囲の変更に応じてシステム キャレットを移動する

[illegible] ActiveX[illegible] Java[illegible]

1 [illegible] [[illegible]] – [[illegible]] [illegible]

2 [[illegible]] [illegible] [[illegible]] [illegible]

3 [illegible] ActiveX[illegible] [[illegible]] [illegible] Java[illegible] [Java[illegible]] [illegible]

4 [OK] [illegible]


セキュリティの設定
カスタム設定のリセット
リセット(E)
OK
キャンセル

設定(S):

● 有効にする
Microsoft VM
Java の許可
● Java を無効にする
○ カスタム
○ 安全性 – 高
○ 安全性 – 中
○ 安全性 – 低
スクリプト
Java アプレットのスクリプト
○ ダイアログを表示する
○ 無効にする

リセット(R): 中

Q

[illegible]

A

[illegible]

1 [illegible]

2 [[illegible]] – [[illegible]] [illegible] [OK] [illegible]

3 [[illegible]] – [[illegible]] [illegible]

4 [illegible] [[illegible]] [illegible] [[illegible]] [illegible]

5 [[illegible]] [illegible] [XXX[illegible]] [illegible]

6 [[illegible]] [illegible]

7 [□□□□□□□□□□□□□□□□□□□□□□□□□]□□□□□□□□
□□□□□□□□□□□□□□□□□□□□□□□□[OK]□□□□□□□
□□□□


MSNのプロパティ

全般 | セキュリティ | Web ドキュメント | スケジュール | ダウンロード

ダウンロードするコンテンツ

このページからダウンロードするリンクの深さ(P) 0

☐ このページに使用するハードディスクの最大サイズ(L)

☑ このページが変更された場合、電子メールを送信する(M)

電子メール アドレス(I) taro@hitachixxx

電子メール サーバー名 (SMTP)(S): hitachixxx

このサイトへの接続にユーザー名とパスワードが必要な場合は、[ログイン] をクリックしてください：

8 [□□□]□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□

Q

□□□□□□□□□□□□

A

□□□□□□□□□□□□□□□□□□□□

□□□□□□ (POP3) □□□□□□□□□□ (SMTP) □□□□□□□□□□□□
□□□□□□□□□□□□□□□□

1 Outlook Express □□□□□[□□□]−[□□□□□□]□□□□□□

2 [□□□]□□□□□□□□□□□□□□□□□□□□□□□□□□□□
□□□□□[□□□□□□]□□□□□□□□□□□

3 [□□□□]□□□□□□□□□□□□□□□□□ (POP3) □□□□□□□
□□□ (SMTP) □□□□□□□□□□□□□□□□□□□□□□□

4 [OK]□□□□□□□□□□□

Q

□□□□□□□□□□□□□□□□□

A

□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
□□

Q

□□□□□□□□□□□□□□□□

A

□□□□□□□□□□□□□□□□□□□Outlook Express□□[□□□]−[□□
□□□]−[□□□ (□□□□)]□□□□□□□

□□□□□□□□□□□□ MIME□□Base 64□□□□□□□□□□□□□□□□□
□□□□□□□□□□□□

Q

[illegible]

A

[illegible] Outlook Express [illegible]

1 [[illegible]] – [[illegible]] – [[illegible]] [illegible] [[illegible]] [illegible] [[illegible]] [illegible]

2 [1. [illegible]] [illegible] [[illegible]] [illegible]

3 [3. [illegible]] [illegible]


新規のメール ルール

条件およびアクションを選択してから、説明に値を入力してください。

1. ルールの条件を選択してください(C)
☑ 送信者にユーザーが含まれている場合
☐ 件名に指定した言葉が含まれる場合
☐ メッセージ本文に指定した言葉が含まれる場合
☐ 宛先にユーザーが含まれている場合

2. ルールのアクションを選択してください(A)
☐ 指定したフォルダに移動する
☐ 指定したフォルダにコピーする
☐ 削除する
☐ 指定したユーザーに転送する

3. ルールの説明 (下線をクリックすると編集できます)(D)
メッセージを受信してから、このルールを適用する
送信者にユーザーが含まれている場合

4. ルール名(N)
新規のメール ルール #1

4 [[illegible]] [illegible] [[illegible]] [illegible] [[illegible]] [illegible] [OK] [illegible] 2 [illegible] [[illegible]] [illegible]


ルールのアドレス

名前を入力するか、一覧から選択してください(Y)

メイン ユーザー の連絡先

名前	電子メール アド
Hanako Hitachi	hanako@hitach
Jiro Hitachi	jiro@hitachi.co
Saburo Hitachi	saburo@hitach
Shiro Hitachi	shiro@hitachi.c

ルールのアドレス(L)
Hanako Hitachi
Jiro Hitachi

5 [2. [illegible]] [illegible] [[illegible]] [illegible] [3. [illegible] ([illegible])] [illegible]

6 [[illegible]] [illegible] [OK] [illegible]

7 [4. [illegible]] [illegible] [OK] [illegible] 2 [illegible]

[illegible]

Q

[illegible]

A

[illegible][[illegible]][illegible]

Q

VShield[illegible][[illegible]][illegible][[illegible]][illegible][[illegible]][illegible]

A

VShiled[illegible]

Q

VirusScan[illegible]VShield[illegible]

A

[illegible]VirusScan[illegible][[illegible]][illegible]

[illegible][[illegible]][illegible][cc:Mail[illegible]][illegible]

[illegible]

[illegible]VirusScan[illegible][DAT[illegible]][illegible][[illegible]][illegible][[illegible]][illegible]

[illegible]VShield[illegible][[illegible]][illegible][[illegible]][illegible]

[[illegible]]
[[illegible]]
[[illegible]]

[illegible]

[illegible]

[illegible]

[illegible]	[illegible]	[illegible]	FAX[illegible]
Microsoft Office XP	[illegible]	03-5354-4500 06-6347-4400	[illegible]
[illegible] ATOK	[illegible]	03-5412-3980 06-6886-7160	[illegible]
[illegible]	[illegible] [illegible] [illegible] G	e-mail: internet-marks@ml.itg.hitachi.co.jp [illegible]e-mail[illegible]	
Easy CD Creator Norton Ghost 2002	HITAC[illegible]	0120-2580-12	[illegible]

※2002[illegible]4[illegible]1[illegible]

※[illegible]

※[illegible]

※[illegible]

□□□□

A
Acrobat Reader 53, 69
ATOK 53

B
BIOS Utility 25
Boot Menu 33

C
CyberSupport for HITACHI 53, 67

D
DMA□□ 20
DVD-Video 20

I
I/O□□□□□□□ 23
Intel SpeedStep Applet 52, 67
IRQ 23

L
LAN□□□□□ 46, 60

N
Norton Ghost 2002 52, 68

O
Office XP 53

S
SystemSecurity 25

U
USB FD□□□□□ 63
USBFD□□□□□ 46

V
VirusScan 51, 66, 96
Volume Control 16
VShield 96

W
Wake on LAN 31
Windows□□□□□□ 22
Windows□□□□ 70

□
□□□□□□□□ 65

□
□□□ 53
□□□□□□□ 86
□□□□□□□□□□ 52, 68

□
□□ 15

□
□□□□□□□□ 57, 65

□
□□□□□□□□□ 46, 51, 59

□
□□□□□ 22
□□□□□□ 18

□
□□□□□ 36
□□□□□□□□□□ 15

□
□□□□□□□□□□□ 61
□□□□□□□□□□ 7, 9

□
□□□□□ 21

□
□□□□□□□□ 70

□
□□□□□□□□□ 36

□
□□□□□ 57

□
□□□□□□□□□□ 36
□□□□□ 24

□
□□□□□□□ 57, 46

□
□□□□□□□□ 46
□□□□□ 90

□
□□□□□□□□□□□□ 47

□
□□□□□□□□□□□□□ 8, 11

□
□□ LAN□□□□□ 46

[illegible]

[illegible] 94
[illegible] 22

[illegible]

[illegible] 46, 61

[illegible]

[illegible] 14

[illegible]

[illegible] 23

[illegible]

[illegible]

[illegible]

[illegible] Microsoft [illegible] MS-DOS [illegible] Windows [illegible] Microsoft Corp. [illegible]

[illegible] Intel [illegible] Pentium [illegible] Intel Corporation [illegible]

[illegible]

[illegible]

[illegible] 2002 [illegible] 5 [illegible]

[illegible]

[illegible]

[illegible]
[illegible]
[illegible] 243-0435 [illegible] 810 [illegible]

Copyright © Hitachi,Ltd. 2002. All rights reserved.

NS0314000-1

HITACHI FLORA 220W NS3

HITACHI

NS0314000-1